Table of Contents

Section **Page**

Table of Contents

ProCare Rx/Jai Medical Systems
Managed Care Organization
2021 Therapeutic Formulary

This formulary describes the circumstances under which pharmacies participating in a particular medical benefit program will be reimbursed for medications dispensed to patients covered by the program. This formulary does not:

a) Require or prohibit the prescribing or dispensing of any medication.

b) Substitute for the independent professional judgment of the physician or pharmacist.

c) Relieve the physician or pharmacist of any obligation to the patient or others.

I. Non-Prescription Medication Policy

The only over-the-counter (OTC) medications that are covered by Jai Medical Systems are listed within the program formulary. All OTC medications, with the exception of OTC emergency contraception, can be reimbursed only if it is written on a valid prescription form by a licensed prescriber. OTC emergency contraception may be obtained without a written prescription; see page 6 of the formulary for limitations.

II. Unapproved Use of Formulary Medication

Medication coverage under this program is limited to non-experimental indications as approved by the FDA. Other indications, which are accepted as safe and effective by the balance of current medical opinion and available scientific evidence, may also be covered. The Pharmacy Benefits Manager (PBM), ProCare Rx, utilizing the procedures outlined in Section IV, will make decisions about reimbursement for these other indications. Experimental, investigational drugs and drugs used for cosmetic purposes are not eligible for coverage.

III. Prior Authorization Procedure

To promote the most appropriate utilization of selected high risk and/or high cost medication, a prior authorization procedure has been created. The criteria for this system have been established by the ProCare Rx/Jai Medical Systems Managed Care Organization program, with input from pharmacists and physician practitioners and in consideration of the available medical literature. The Pharmacy and Therapeutics Committee will have final approval responsibility for this list. In order for a dispensed prior authorization medication to be reimbursed to the pharmacy, the patient's prescribing physician must apply for pre-authorization for a specific patient and drug. The physician may phone or fax the PBM to initiate a request for prior authorization:

ProCare Rx
Prior Authorization Desk
1267 Professional Parkway
Gainesville, Georgia 30507
(800) 555-8513
(800) 583-6010 (fax)

Please have patient information, including member ID number, complete diagnosis, medication history, and current medications readily available. Special request forms are required for Hepatitis C treatments and for opioids. All forms can be found online at www.jaimedicalsystems.com/providers/pharmacy/.

A completed, signed prior authorization form is needed in order for a request to be approved, but providers may call the ProCare Rx Prior Authorization department for prior authorization request forms and for help with the prior authorization request process. These phone lines are dedicated to physicians making requests for prior authorization medication and non-formulary items. Members cannot be assisted if they call the prior authorization toll-free number, but they may call the ProCare Rx Customer Service Department at 800-213-5640 for help getting a prior authorization form faxed to their provider. For all requests for drugs requiring prior authorization, a decision will be provided within 24 hours of receiving the request. That decision will be to either approve, deny, or request more information. The requesting provider will receive a telecommunication response informing them of this decision. If the requested information is not received, this process could take up to 14

calendar days. If the request is approved, information in the online pharmacy claims processing system will be changed to allow the specific patient to receive the requested drug. A prior authorization number will be issued to the prescribing physician and may be clearly written on the top of the prescription to inform the dispensing pharmacist of the approval. This number is for identification purposes only and does not need to be submitted for adjudication to occur. If the request is denied, information about the denial will be provided to the prescribing physician along with the patient and the patient's PCP.

Additionally, most injectables (except Depo-Provera, enoxaparin sodium, Makena, insulin, Glucagon Kit, and formulary epinephrine products) require prior approval. Questions about injectable drugs administered by home health or healthcare providers should be directed to ProCare Rx at 800-555-8513. If the medication will be billed for a medical claim rather than through the pharmacy, the provider may contact the Provider Relations Department at 888-524-1999 with any questions.

Our prior authorization criteria can be found on our website, www.jaimedicalsystems.com, as well as in this formulary. Any updates made to our criteria will be posted on the website above within 30 days.

IV. Unique Patient Needs Non-Formulary Medication

This formulary attempts to provide appropriate and cost effective drug therapy to all participants in the Jai Medical Systems Managed Care Organization program. If a patient requires medication that is not covered by the formulary, a request can be made for payment of the non-covered item. It is anticipated that such exceptions will be rare, and that formulary medications will be appropriate to treat the vast majority of medical conditions. Requests for non-formulary medications should be made in writing (on the prior authorization form, if possible) and mailed or faxed to:

ProCare Rx
Prior Authorization Desk
1267 Professional Parkway
Gainesville, Georgia 30507
(800) 555-8513
(800) 583-6010 (fax)

Appropriate documentation must be provided to support the request. For all requests for drugs requiring prior authorization, a decision will be provided within 24 hours of receiving the request. That decision will be either to approve, deny, or request more information. The requesting provider will receive a telecommunication response informing them of this decision. If the requested information is not received, this process could take up to 14 calendar days. Approval of non-formulary items will be based upon criteria developed by the Pharmacy and Therapeutics Committee of Jai Medical Systems Managed Care Organization and the PBM.

Physicians are expected to comply with this formulary when prescribing medication for those patients covered by the Jai Medical Systems Managed Care Organization plan. If a pharmacist receives a prescription for a non-formulary medication, the pharmacist should attempt to contact the prescribing physician to request a change to a product included in this formulary guide.

The pharmacy will not be reimbursed for non-formulary medications.

In an emergency situation outside of the PBM's regular business hours where the physician cannot be contacted, the pharmacist is authorized to dispense a 72-hour emergency supply of a medication, unless the medication is classified as a DESI, LTE, or specifically excluded drug category (see Section VI) product or is one of the treatments for Hepatitis C, which should not be dispensed until the member has prior authorization to begin treatment.

The pharmacist should contact the PBM's Help Desk at (800) 213-5640 to arrange for reimbursement for the emergency supply.

V. Newly Marketed Products

Standard medications will be reviewed for coverage decisions within 180 calendar days of FDA approval. Priority medications will be reviewed for coverage decisions within 90 calendar days of FDA approval. Newly marketed drug products will not normally be placed on the formulary during their first year on the market. Exceptions to this rule will be made on a case-by-case basis using the medical necessity procedure.

VI. Specific Exclusions

The following drug categories are not part of the Jai Medical Systems Managed Care Organization formulary and are not covered by the 72-hour emergency supply reimbursement policy:

- Antiobesity products
- Blood and blood plasma
- Cosmetic drugs
- Cough and cold products (except those listed in the formulary)
- DESI drugs
- Diagnostic products (except those listed in the formulary)
- Erectile/sexual dysfunction agents
- Medical supplies and durable medical equipment (except certain diabetic supplies)
- Most vitamins (except those listed in the formulary)
- Nutritional and dietary supplements
- Research drugs
- Topical minoxidil

VII. Fee-for-Service Carve-outs

In addition to the above exclusions, the following are also excluded from the formulary and are covered by the Maryland Department of Health:

- Mental health drugs (refer to Section VIII). A list of Mental Health medications can be found online at: https://mmcp.health.maryland.gov/pap/docs/Mental Health Formulary.pdf

- Substance use disorder medications, including, but not limited to, buprenorphine, buprenorphine/naloxone, Campral®, Chantix®, Revia®, naloxone, Nicotrol®, nicotine patches, gum, and lozenges. (Refer to Section VIII). A list of substance use disorder medications is available online at: https://mmcp.health.maryland.gov/pap/docs/Substance Use Disorder Medication Clinical Criteria Final updated Aug2018.pdf

VIII. Behavioral Health Medication Policy

Please refer to the Maryland Department of Health's Mental Health Formulary for a complete listing of behavioral health medications. Any behavioral health medications that are covered by Jai Medical Systems Managed Care Organization are listed in the prescription formulary.

- Kapvay – For recipients 6 -17 years old, Kapvay is part of the mental health formulary and billed fee-for-service. For individuals not in this age range, Kapvay continues to be a part of the MCO pharmacy benefit, and would require prior authorization.
- Intuniv – For recipients 6 -17 years old, Intuniv is part of the mental health formulary and billed fee-for-service. For individuals not in this age range, Intuniv continues to be a part of the MCO pharmacy benefit, and would require prior authorization.

IX. Mandatory Generic Substitution & Therapeutic Interchange

Generic substitution is mandatory when a generic equivalent is available, unless the brand is specified as the preferred medication on the formulary. All branded products that have 3 or more generic equivalents available will be reimbursed at the maximum allowable cost. No other therapeutic interchange is permitted.

X. Specialty Medications

Specialty medications will be covered under the pharmacy benefit for Jai Medical Systems. All requests will undergo prior authorization review when available drug-specific prior authorization criteria will apply. When prior authorization criteria do not exist, the request will be reviewed for FDA approved indications according to Jai Medical Systems' approved medical necessity review process. All specialty drug requests should contain the following:

- Drug name, strength, dose, and quantity requested
- Diagnosis for use
- Any previous drug therapies tried and failed, or why medications on the drug list are not appropriate
- Any additional clinical information pertinent to the drug review

XI. High Cost Low Utilization Medications

In accordance with the Maryland Department of Health's High Cost, Low Volume Drug Risk Mitigation Policy and the Social Security Act 1927 (d)(5), Jai Medical Systems **will not pay** for any of the aforementioned high cost drugs that are not appropriately pre-certified by Jai Medical Systems. The current list of NDCs and J-Codes Covered by High Cost Low Volume Risk Mitigation Policy:

Drug Name	NDC Code	J Code (if applicable)
Actimmune	75987011111	
Actimmune	42238011112	
Cinryze	42227008105	J0598
Novoseven	00169720101	
Orfadin	66658020490	J8499
Ravicti	75987005006	
Revcovi	57665000201	J3590, J3490
Soliris	25682000101	J1300
Vimizim	68135010001	J1322
Spinraza	64406005801	J2326
Zolgensma	see list below *	J3590

*Zolgensma NDC List: 71894011001, 71894011501, 71894012002, 71894012103, 71894012203, 71894012303, 71894012404, 71894012504, 71894012604, 71894012705, 71894012805, 71894012905, 71894013006, 71894013106, 71894013307, 71894013407, 71894013507, 71894013608, 71894013708, 71894013808, 71894013909, 71894014009, 71894014109

Our health plan will not conduct any retrospective review for these drugs; they must be pre-certified and approved by our plan beforehand. Please be advised that this policy includes both Physician Administered Drugs and retail pharmacy drugs.

Please be advised that this list is subject to change. If you are unsure of whether or not a medication requires prior authorization and/or pre-certification, please contact our Utilization Management Department at 1-888-JAI-1999.

XII. General Parameters

- Valid DEA and NPI numbers are required.
- Refill too soon - 75% of the days supplied must elapse before the prescription can be refilled. For opioid medications, 85% of the days supplied must have elapsed before the prescription can be refilled.
- The standard maximum allowable quantity is a 30-day supply. The allowed quantity limit for formulary asthma controller medications is a 90-day supply. The quantity limit on most medications is a 400-unit maximum limit per month. Most narcotics have individualized quantity and dosage form limitations, which are listed on page 16 of the formulary. If necessary, a healthcare provider may request a quantity override by contacting ProCare Rx's Prior Authorization Department. Even with an override, the quantity may not exceed a 100-day supply, except for contraceptives as described below. Opioid prescriptions cannot exceed a 30-day supply.
- Contraceptives will be available in up to 12-month supplies when ordered by a qualified practitioner.
- All generic oral contraceptives (including emergency contraceptives) and brand oral contraceptives that do not have a generic version available are formulary. Examples are listed on pages 6 and 7.
- A current listing of HIV medications covered by Jai Medical Systems are listed on page 3.
- Requests for Hepatitis C treatment or for opioid medications require special forms. All pharmacy prior authorization request forms can be found online at: http://www.jaimedicalsystems.com/providers/pharmacy/.
- Prior authorization is required for all extended release opioid products as well as methadone prescribed for pain and any other opioids prescribed for quantities greater than 90 MMEs. A specialized form is required for these requests and can be found online at http://www.jaimedicalsystems.com/providers/pharmacy/.
- Prior authorization requests for medications for the treatment of Hepatitis C require a special prior authorization request form. While they still require prior authorization, Jai Medical Systems prefers Mavyret, Zepatier, generic Harvoni, and generic Epclusa unless they are not medically appropriate. These forms and prior authorization criteria can be found at

http://www.jaimedicalsystems.com/providers/pharmacy/.

- Vacation fill overrides may be requested by contacting Jai Medical Systems at 1-800-524-1999. Information from the prescribing doctor or primary care provider may be required before the request can be approved.
- Overrides for lost or stolen prescriptions may be requested by contacting Jai Medical Systems at 1-800-524-1999. Information from the prescribing doctor or primary care provider may be required before the request can be approved. Requests for lost/stolen/vacation overrides for opioids are not generally available.

XIII. Where to Call?

PHYSICIANS

Formulary Questions:	
ProCare Rx	(800) 555-8513
Medical Necessity:	
ProCare Rx	(800) 555-8513
Prior Authorization:	
ProCare Rx	(800) 555-8513
Provider Relations:	
Jai Medical Systems	
Managed Care Organization, Inc.	(888) JAI-1999

PHARMACISTS

Provider Network Questions:	
ProCare Rx	(800) 213-5640
Provider Relations:	
ProCare Rx	(800) 213-5640

XIV. Abbreviations

Providers are encouraged to prescribe generically available drugs whenever possible and to prescribe first-line lower cost options when appropriate. Drugs are ranked by cost with the following abbreviations:

*****	**=**	This product has a MAC price attached to some or all strengths.
$	=	Cost per Rx is <$20
$$	=	Cost per Rx is <$40
$$$	=	Cost per Rx is $40 - $80
$$$$	=	Cost per Rx is $80 - $160
$$$$$	=	Cost per Rx is >$160

XV. Reference

The formulary is available online at Formulary Navigator. This is updated monthly and will have the most up-to-date information. Formulary access is free and available at: http://www.marylandmedicaidpharmacyinformation.com/formulary_navigator.htm

Links to pdf copies of the most recent printed versions of all Maryland Medicaid Managed Care Organization's formularies can be found on the website listed below:
http://www.marylandmedicaidpharmacyinformation.com/MCOInfo.htm

A link to a pdf copy of the Jai Medical Systems formulary and copies of our recent formulary change notices is also available in the Providers section of our homepage:
http://www.jaimedicalsystems.com/providers/pharmacy/

XVI. Copays

Currently, there is no copay for active members of Jai Medical Systems Managed Care Organization, Inc.'s HealthChoice Program. Copays may be charged for medications covered directly by Maryland Medicaid (refer to Section VII. Fee-for-Service Carve-Outs.)

XVII. Prior Authorization Auto-Renewal

Jai Medical Systems offers automatic prior authorization renewals for Advair and Symbicort. For members with a current approved prior

authorization, claims will continue to process as long as the member has filled for that medication within the last 4 months. No yearly renewal will be needed for compliant members. Prior authorization will be required for members new to the plan, new to therapy, or with no claim history of that medication within the last 4 months.

XVIII. Notice of Non-Discrimination

Jai Medical Systems Managed Care Organization, Inc. complies with applicable Federal civil rights laws and does not discriminate on the basis of language, age, race, color, sex, sexual orientation, national origin, disability, medical condition, or religion against members, contracted providers, staff, and/or non-affiliated individuals. This includes women, individuals of minority and non-minority groups, individuals of the LGBT community, individuals with disabilities, and/or members with limited English proficiency. Jai Medical Systems Managed Care Organization, Inc. does not exclude people or treat them differently because of language, age, race, color, sex or sexual orientation, national origin, disability, medical condition, or religion.

To ensure effective communication for individuals with disabilities, Jai Medical Systems Managed Care Organization, Inc. shall:

- Provide equal access to auxiliary aids and services as necessary for individuals with disabilities, in accordance with applicable law.
- Include taglines for language accessibility in top 15 languages on the website, and in larger significant publications and significant communications.
- Include taglines for language accessibility in two popular languages in significant publications including Member Handbook, and significant communications.
- Provide free language assistance and interpretation services for members with limited English proficiency to communicate effectively.
- Provide free sign language interpretation for members with hearing disabilities.
- Provide free oral language assistance and written translation through Jai Medical Systems Managed Care Organization, Inc.'s multilingual staff, oral interpreters, and translators.

If you need these services, contact our Non-Discrimination Compliance Coordinator at monisha.kota@jaimedical.com. Additionally, information is made available in languages other than English upon request.

XIX. Equal Employment Opportunity Statement

Jai Medical Systems Managed Care Organization, Inc. provides equal employment opportunity for everyone regardless of language, age, sex, color, creed, national origin, pregnancy, ancestry, marital status, political belief, genetic information, and physical or mental disability that does not prohibit performance of essential job functions. In addition, Jai Medical Systems Managed Care Organization, Inc. complies with Section 1557 of the Affordable Care Act, all applicable federal, state, and local anti-discrimination laws. This policy is reflected in all of Jai Medical Systems Managed Care Organization, Inc.'s practices and policies regarding hiring, training, promotions, transfers, rates of pay, layoffs, and other forms of compensation. All matters relating to employment are based upon ability to perform the job, as well as dependability and reliability once hired.

If you believe that Jai Medical Systems Managed Care Organization, Inc. has failed to provide these services or discriminated on the basis of language, age, race, color, sex or sexual orientation, national origin, disability, medical condition, or religion, you can file a grievance with:

Monisha Priya Kota, Non-Discrimination Compliance Coordinator
Jai Medical Systems Managed Care Organization, Inc.
301 International Circle, Hunt Valley, MD 21030
Phone: 410-433-2200|Fax: 410-433-4615|
Email: monisha.kota@jaimedical.com

You can file a grievance in person or by mail, fax, or email. If you need help filing a grievance, our Non-Discrimination Compliance Coordinator is available to help you. Grievances must be submitted to the Coordinator within sixty days of the date you become aware of the alleged discrimination.

You can also file a civil rights complaint with the U.S. Department of Health and Human Services, Office for Civil Rights, electronically through

the Office for Civil Rights Complaint Portal, available at https://ocrportal.hhs.gov/ocr/portal/lobby.jsf, and by mail or phone at:

U.S. Department of Health and Human Services,
200 Independence Avenue, SW Room 509F, HHH Building
Washington, D.C. 20201
Phone: 1-800-368-1019, 800-537-7697 (TDD)

Complaint forms are available at:
http://www.hhs.gov/ocr/office/file/index.html

XX. Language Accessibility Statement

Interpreter Services are Available for Free
Help is available in your language:
1-888-524-1999 (TTY: 1-800-735-2258).
These services are available for free.

中文/Chinese
用您的语言为您提供帮助：1-888-524-1999 (TTY: 1-800-735-2258)）
这些服务都是免费的

فارسی/Farsi
ماست خط) 1-800-735-2258 دیکنیمتبصحماش کهیبانز هبمکک نتلف خط
1-888-524-1999 (ناشنوا افراد
رسم س د در نگه یرافر ص ه ب فهخ خ ن ی ا
ن م س ً

Español/Spanish
Hay ayuda disponible en su idioma: 1-888-524-1999 (TTY: 1-800-735-2258). Estos servicios están disponibles gratis.

አማርኛ/Amharic
እገዛ በ ቋንቋዎ ማግኘት ይችላሉ፡-: 1-888-524-1999 (TTY:
1-800-735-2258)። እነዚህ አገልግሎቶች ያለክፍያ የሚገኙ ነጻናቸው

العربية/Arabic
المساعدة متوفرة في لغتك: اتصل على الرقم 1-800-735-2258 (للمعاقين سمعيا: 1-888-524-1999
ذه خله مرت خم فخه الم ا ً

Français/French
Vous pouvez disposer d'une assistance dans votre langue : 1-888-524-1999 (TTY: 1-800-735-2258). Ces services sont disponibles pour gratuitement.

ગુજરાતી/Gujarati
તમારી ભાષામાં મદદ ઉપલબ્ધ છે: 1-888-524-1999 (ટીટીવાય: 1-800-735-2258). સેવાઓ મફત ઉપલબ્ધ છે

kreyòl ayisyen/Haitian Creole
Gen èd ki disponib nan lang ou: 1-888-524-1999 (TTY: 1-800-735-2258). Sèvis sa yo disponib gratis.

Igbo
Enyemaka di na asusu gi: 1-888-524-1999 (TTY: 1-800-735-2258). Ọrụ ndị a dị na enweghi ugwo i ga akwu maka ya.

한국어/Korean
사용하시는 언어로 지원해드립니다: 1-888-524-1999 (TTY: 1-800-735-2258). 무료로 제공 됩니다

Português/Portuguese
A ajuda está disponível em seu idioma: 1-888-524-1999 (TTY: 1-800-735-2258). Estes serviços são oferecidos de graça.

Русский/Russian
Помощь доступна на вашем языке: 1-888-524-1999 (TTY: 1-800-735-2258). Эти услуги предоставляются бесплатно.

Tagalog
Makakakuha kayo ng tulong sa iyong wika: 1-888-524-1999 (TTY: 1-800-735-2258). Ang mga serbisyong ito ay libre.

Urdu/اردو
آپ کی زبان میں مدد دستیاب ہے: 1-888-524-1999 (ٹی ٹی وائی: 1-800-735-2258)
یہ خدمات مفت دستیاب ہیں

Tiếng Việt/Vietnamese
Hỗ trợ là có sẵn trong ngôn ngữ của quí vị 1-888-524-1999 (TTY: 1-800-735-2258). Những dịch vụ này có sẵn miễn phí.

Yorùbá/Yoruba
Ìrànlọ́wọ́ wà ní àrọ́wọ́tó ní èdè rẹ: 1-888-524-1999 (TTY: 1-800-735-2258). Awon ise yi wa fun o free.

Generic Name	*Brand Name*	*Annotation*

I. ANTI-INFECTIVE AGENTS

PENICILLINS

$ Amoxicillin*	AMOXIL	*no chewables*
$ Ampicillin*	AMPICILLIN	
$ Penicillin G Benzathine	BICILLIN	
$ Penicillin V Potassium*	PENICILLIN V POTASSIUM	
Penicillinase-resistant		
$ Dicloxacillin Sodium*	DICLOXACILLIN SODIUM	
$ Oxacillin*	OXACILLIN	
$ Cloxacillin Sodium*	CLOXACILLIN SODIUM	
Prior Authorization Required		
Penicillin Combinations		
$$$ Amox & K Clavulanate*	AUGMENTIN	*no chewables*

CEPHALOSPORINS

Cephalosporins - 1st Generation		
$$ Cephalexin*	KEFLEX	*no tablets*
$$ Cephradine*	CEPHRADINE	
Cephalosporins - 2nd Generation		
$$ Cefaclor*	CEFACLOR	
$$$ Cefprozil*	CEFPROZIL	
$$$ Cefuroxime*	CEFTIN	*oral tablets only covered for children under 12 yrs old*
$$$ Loracarbef	LORABID SUSPENSION	
Cephalosporins - 3rd Generation		
$ Cefixime	SUPRAX	*QL = 1 tab*
$$$ Ceftriaxone*	ROCEPHIN	
$$$ Cefdinir*	CEFDINIR	

MACROLIDE ANTIBIOTICS

Erythromycins		
$ Erythromycin Base*	ERY-TAB	
$ Erythromycin Estolate*	ERYTHROMYCIN ESTOLATE	
$ Erythromycin Ethylsuccinate*	E.E.S.	
$ Erythromycin Stearate*	ERYTHROCIN	
Lincomycins		
$$ Clindamycin*	CLEOCIN	
Misc. Macrolide Antibiotics		
$$ Azithromycin*	ZITHROMAX	
$$$ Azithromycin suspension*	ZITHROMAX	*QL = 1 single dose packet*
$$$ Clarithromycin*	BIAXIN	

TETRACYCLINES

$$$ Doxycycline*	VIBRAMYCIN	
$ Tetracycline*	SUMYCIN	*no tablets*

FLUOROQUINOLONES

$$$ Ciprofloxacin*	CIPRO	
$$$$ Levofloxacin*	LEVAQUIN	
$$$$ Moxifloxacin*	AVELOX	*QL 14 per 30 days*
Prior Authorization Required		

ANTIMALARIAL

$ Chloroquine*	ARALEN	*no 500mg tabs*
$ Hydroxychloroquine*	PLAQUENIL	
$ Pyrimethamine	DARAPRIM	

Generic Name	*Brand Name*	*Annotation*
ANTHELMINTIC		
$$ Albendazole	ALBENZA	
$$ Ivermectin*	STROMECTOL	*tablets only*
$$ Pyrantel Pamoate*	PIN - X	*OTC product*
AMINOGLYCOSIDES		
$ Gentamicin Sulfate*	GARAMYCIN	
$ Neomycin Sulfate*	NEOMYCIN	*tablets only*
SULFONAMIDES		
$ Erythromycin/Sulfisoxazole*	ERYTHROMYCIN/SULFISOXAZOLE	
$ Sulfadiazine*	SULFADIAZINE	
$ Sulfasalazine*	AZULFIDINE	*no EN tabs*
$ Sulfisoxazole*	SULFISOXAZOLE	
$ Trimethoprim/Sulfamethoxazole*	BACTRIM / DS	
ANTIMYCOBACTERIAL AGENTS		
$$$$ Cycloserine	SEROMYCIN	
$$$ Ethambutol*	MYAMBUTOL	
$$$ Ethionamide	TRECATOR	
$ Isoniazid*	ISONIAZID	
$$$ Pyrazinamide*	PYRAZINAMIDE	
$$$$$ Rifabutin*	MYCOBUTIN	
$$$$ Rifampin*	RIFADIN	
MISC. ANTIINFECTIVES		
$ Metronidazole*	FLAGYL	
$ Trimethoprim*	TRIMETHOPRIM	
$$ Chlorhexidine*	PERIOGARD	*0.12% oral rinse*
Leprostatics		
$ Dapsone*	DAPSONE	
ANTIFUNGALS		
$ Griseofulvin Microsize*	GRIFULVIN V	
$ Griseofulvin Ultramicrosize*	GRIS-PEG	
$ Nystatin*	NYSTATIN TAB	
Imidazole-Related Antifungals		
$ Ketoconazole*	NIZORAL	
$ Miconazole*	MONISTAT	*OTC product*
$$ Terbinafine*	LAMISIL	
$$ Itraconazole*	SPORANOX	
Prior Authorization Required		
Triazoles		
$ Fluconazole*	DIFLUCAN	*150mg x2 tablets/month is formulary. Authorization required for higher quantity or other stengths*
Prior Authorization Required		
ANTIVIRAL		
Neuraminidase Inhibitors		
$$ Oseltamivir Phosphate	TAMIFLU	*QL=1 course of treatment per calendar year*
$$ Zanamivir	RELENZA	*QL=1 course of treatment per calendar year*
CMV Agents		
$$$$ Ganciclovir*	CYTOVENE	

Generic Name	***Brand Name***	***Annotation***
Hepatic Agents		
$$$$$ Lamivudine HBV	EPIVIR	
$$$$$ Elbasvir-Grazoprevir	ZEPATIER	*Preferred for types 1,4*
$$$$$ Glecaprevir-Pibrentasvir	MAVYRET	*Preferred all types*
$$$$$ Sofosbuvir-Velpatasvir*	GENERIC EPCLUSA	*Preferred all types*
$$$$$ Sofosbuvir-Velpatasvir-Voxilaprevir	VOSEVI	*Retreatment only*
$$$$$ Peginterferon	PEG-INTRON, PEGASYS	
$$$$$ Ribavirin*	REBETOL	
$$$$$ Ledipasvir-Sofosbuvir*	GENERIC HARVONI	*Preferred for 1,4,5,6*
****Special PA forms required. Please see www.jaimedicalsystems.com/providers/pharmacy for forms and full Maryland Medicaid prior authorization criteria.****		
Herpes Agents		
$$ Amantadine*	AMANTADINE	
$$$ Acyclovir*	ZOVIRAX	*PA for ointment & susp.*
HIV Agents		
$$$$$ Abacavir	ZIAGEN	*QL = 60 tabs / month*
$$$$$ Epzicom	ABACAVIR-LAMIVUDINE	*QL = 30 tabs / month*
$$$$$ Trizivir	ABACAVIR-LAMIVUDINE-ZIDOV T	*QL = 60 tabs / month*
$$$$$ Atazanavir Sulfate	REYATAZ	*QL = 30 tabs / month*
$$$$$ Efavirenz / Emtricitabine / Tenofovir	GENERIC ATRIPLA	*QL = 30 tabs / month*
$$$$$ Biktarvy	BIKTARVY	*QL = 30 tabs / month*
$$$$$ Complera	COMPLERA	*QL = 30 tabs / month*
$$$$$ Sustiva	EFAVIRENZ	*QL = 60 tabs / month*
$$$$$ Atazanavir and Cobicistat	EVOTAZ	*QL = 30 tabs / month*
$$$$$ Genvoya	GENVOYA	*QL = 30 tabs / month*
$$$$$ Etravirine	INTELENCE	*QL = 60 tabs / month*
$$$$$ Raltegravir	ISENTRESS	*QL = 60 tabs / month*
$$$$$ Juluca	JULUCA	*QL = 30 tabs / month*
$$$$$ Lopinavir / Ritonavir	KALETRA	*QL = 120 tabs / month*
$$$$$ Lamivudine	*EPIVIR*	*QL = 30 tabs / month*
$$$$$ Lamivudine-Zidovudine	COMBIVIR	*QL = 60 tabs / month*
$$$$$ Odefsey	ODEFSEY	*QL = 30 tabs / month*
$$$$$ Darunavir and Cobicistat	PREZCOBIX	*QL = 30 tabs / month*
$$$$$ Darunavir Ethanolate	PREZISTA	*QL = 60 tabs / month*
$$$$$ Atazanavir	REYATAZ	*QL = 30 tabs / month*
$$$$$ Stribild	STRIBILD	*QL = 30 tabs / month*
$$$$$ Symtuza	SYMTUZA	*QL = 30 tabs / month*
$$$$$ Emtricitabine / Tenofovir	GENERIC TRUVADA	*QL = 30 tabs / month*
$$$$$ Emtricitabine / Tenofovir Alafenamide	GENERIC DESCOVY	*QL = 30 tabs / month*
$$$$$ Tenofovir	VIREAD	*QL = 30 tabs / month*
$$$$$ Dolutegravir	TIVICAY	*QL = 30 tabs / month*
$$$$$ Dolutegravir, Abacavir, and Lamivudine	TRIUMEQ	*QL = 30 tabs / month*
$$$$$ Zidovudine	RETROVIR	*QL = 60 tabs / month*
$$$$$ Fosamprenavir	LEXIVA	*QL = 60 tabs / month*
$$$$$ Ritonavir	NORVIR	*QL = 30 tabs / month*
$$$$ Nevirapine	VIRAMUNE	*QL = 60 tabs / month*
$$$$$ Stavudine	ZERIT	*QL = 60 tabs / month*

II. BIOLOGICALS

ANTISERA

Antiviral Monoclonal Antibodies		
$$$$$ Palivizumab	SYNAGIS	
Prior Authorization Required		

III. ANTINEOPLASTICS

ANTINEOPLASTICS

Alkylating Agents		
$$$$$ Busulfan	MYLERAN	
Nitrogen Mustards		
$$$$$ Chlorambucil	LEUKERAN	
$$$$$ Cyclophosphamide*	CYTOXAN	
$$$$$ Melphalan	ALKERAN	

Generic Name	Brand Name	Annotation
Nitrosoureas		
$$$$$ Lomustine	LOMUSTINE	
Antimetabolites		
$$$$$ Capecitabine*	XELODA	
$$$$ Fluorouracil*	EFUDEX	*2% and 5% cream only*
$$$$$ Mercaptopurine*	PURINETHOL	
$$$$ Methotrexate*	RHEUMATREX	
$$$$$ Thioguanine	TABLOID	
Progestins-Antineoplastic		
$$$$ Megestrol*	MEGACE	*Tabs & Oral Susp*
Antiandrogens		
$$$$$ Flutamide*	FLUTAMIDE	
Aromatase Inhibitors		
$$$$$ Letrozole*	FEMARA	
$$$$$ Anastrozole*	ARIMIDEX	
$$$$ Exemestane*	AROMASIN	
Antineoplastic Hormones Misc.		
$$$$$ Bicalutamide*	CASODEX	
$$$$ Tamoxifen*	TAMOXIFEN	
$$$$$ Leuprolide	LUPRON	
Prior Authorization Required		
Mitotic Inhibitors		
$$$$ Etoposide*	ETOPOSIDE	
Antineoplastics Misc.		
$$$$$ Afatinib Dimaleate	GILOTRIF	
$$$$$ Erlotinib	TARCEVA	
$$$$ Hydroxyurea*	HYDREA	
$$$$$ Mitotane	LYSODREN	
$$$$$ Procarbazine	MATULANE	
$$$$$ Sorafenib	NEXAVAR	
$$$$$ Interferon Alfa-2A	ROFERON-A	
$$$$$ Interferon Alfa-2B	INTRON-A	
$$$$$ Interferon Alfa-n3	ALFERON N	
$$$$$ Interferon Beta-1a	AVONEX	
$$$$$ Interferon Beta-1a	REBIF	
$$$$$ Interferon Beta-1b	BETASERON	
$$$$$ Glatiramer acetate	COPAXONE	
Prior Authorization Required		

IV. ENDOCRINE & METABOLIC DRUGS

CORTICOSTEROIDS

Glucocorticosteroids		
$ Cortisone*	CORTISONE	
$ Dexamethasone*	DEXAMETHASONE	*no dose paks*
$ Hydrocortisone*	CORTEF	
$ Methylprednisolone*	MEDROL	*tabs & dose packs*
$ Prednisone*	PREDNISONE	
$ Prednisolone*	PRELONE	
$$ Prednisolone Na Phosphate*	PEDIAPRED	
$$ Prednisolone Na Phosphate*	ORAPRED	
$ Prednisolone Acetate	FLO-PRED	
Mineralocorticoids		
$ Fludrocortisone*	FLUDROCORTISONE	

ANDROGEN-ANABOLIC

Androgens		
$$$ Methyltestosterone	ANDROID	
$$$ Danazol*	DANAZOL	
$$$ Testosterone Gel	ANDROGEL, TESTIM	
Prior Authorization Required		

	Generic Name	*Brand Name*	*Annotation*
ESTROGENS			
$	Estradiol*	ESTRACE	
$$	Esterified Estrogens	MENEST	
$$	Estrogens, Conjugated	PREMARIN	
$$$	Estradiol TD Patch*	CLIMARA	
Estrogen Combinations			
$$	Conjugated Estrogens & Medroxyprogesterone	PREMPRO	
CONTRACEPTIVES			
*****All generic oral contraceptives are formulary*****			
Progestin			
$$$	Norethindrone*	NOR-QD, ORTHO MICRON	*Females only*
$$	Norethindrone*	Lyleq	*Females only*
Combinations			
$$	Desogestrel & Ethinyl Estradiol*	DESOGEN, ORTHO-CEPT	*Females only*
$$	Drospirenone-Ethinyl Estradiol*	YASMIN, YAZ	*Females only*
$$	Drospirenone-Eth Estrad Levomefolate	SAFYRAL, BEYAZ	*Females only*
$$	Ethynodiol Diacet-Eth Estrad*	ZOVIA	*Females only*
$$$	Etonogestrel-Ethinyl Estradiol	NUVARING	*QL= 1 ring / month*
$$$	Etonogestrel-Ethinyl Estradiol	ELURYNG	*QL= 1 ring / month*
$$	Levonorgestrel & Ethinyl Estradiol*	NORDETTE, AVIANE, ICLEVIA	*Females only*
$$	Norethindrone-Ethinyl Estradiol*	MODICON, BREVICON	*Females only*
$$	Norethindrone Ace-Ethinyl Estrad*	LOESTRIN	*Females only*
$$	Norgestrel-Ethinyl Estradiol*	CRYSELLE, OGESTREL	*Females only*
$$	Norgestimate-Ethinyl Estradiol*	ORTHO-CYCLEN	*Females only*
$$	Norethindrone & Ethinyl Estrad FE*	FEMCON FE	*Females only*
$$	Norethindrone Ace-Ethinyl Estrad FE*	LOESTRIN FE	*Females only*
$$$	Norelgestromin-Ethinyl Estradiol*	ORTHO EVRA PATCH	*Females only*
Biphasic			
$$	Desogest-Eth Estrad & Eth Estrad	MIRCETTE	*Females only*
$$	Norethindrone-Mestranol	NORINYL, NECON	*Females only*
$$	Norethindrone-Ethinyl Estradiol FE	LO LOESTRIN FE	*Females only*
Triphasic			
$$	Desogest-Ethin Est*	CYCLESSA	*Females only*
$$	Levonorgestrel-Eth Estradiol*	TRIVORA	*Females only*
$$	Norethindrone-Ethinyl Estradiol*	ORTHO NOVUM 7/ 7/ 7	*Females only*
$$	Norgestimate-Ethinyl Estradiol*	ORTHO TRI-CYCLEN / LO	*Females only*
$$$	Norethindrone Ac-Ethinyl Estrad FE*	ESTROSTEP FE	*Females only*
$	Norethindrone-Ethinyl Estradiol*	Nylia 7/7/7	*Females only*
$$	Norethindrone-Ethinyl Estradiol*	Tri-Nymyo	*Females only*
Four Phase			
$$	Estradiol Valerate-Dienogest	NATAZIA	*Females only*
Extended			
$$	Levonorgestrel-Ethinyl Estradiol*	SEASONIQUE,QUARTETTE LOSEASONIQUE	*Females only*
Continuous			
$$	Levonorgestrel-Ethinyl Estradiol	AMETHYST	*Females only* *Females only*
PROGESTINS			
$$$$$	Hydroxyprogesterone	MAKENA	*Special prescription form from manufacturer*
$	Medroxyprogesterone*	PROVERA	*tabs only / females only*
$$$	Medroxyprogesterone Acetate	DEPO-PROVERA DEPO-SQ PROVERA 104	*Females only*
$	Norethindrone Acetate*	AYGESTIN	*Females only*
EMERGENCY CONTRACEPTIVE			
$$	Levonorgestrel*	PLAN B ONE STEP PLAN B	*1 kit / month / 3 kits / yr* *Females only* *No prescription required for OTC formulation*

Generic Name	Brand Name	Annotation

ANTIDIABETIC

Thiazolidinediones/Combination

$$$$$	Pioglitazone*	ACTOS	*QL = 30 tabs / month*
$$$$$	Pioglitazone-Glimepiride*	DUETACT	*QL = 30 tabs / month*
$$$$	Pioglitazone-Metformin*	ACTOPLUS MET	*ADMELOG*
$$$$$	Pioglitazone-Metformin SR	ACTOPLUS MET XR	*QL = 30 tabs / month*

Human Insulin

$	Insulin Aspart	NOVOLOG	
$	Insulin Isophane	HUMULIN N, NOVOLIN N	
$	Insulin Reg & Isophane	HUMULIN 50/50	
$	Insulin Reg & NPH	HUMULIN 70/30, NOVOLIN 70/30	
$	Insulin Regular	HUMULIN R, NOVOLIN R	
$	Insulin Lispro	HUMALOG, ADMELOG	
$$$	Insulin Glargine	LANTUS, BASAGLAR, SEMGLEE, TOUJEO	

Sulfonylureas

$$	Glimepiride*	AMARYL	
$$	Glipizide*	GLUCOTROL/XL	
$$	Glyburide*	DIABETA, GLYNASE	

Alpha-Glucosidase Inhibitors

$$$$	Acarbose*	PRECOSE	*QL = 90 tabs / month*
	Prior Authorization Required		

Dipeptidyl Peptidase-4 inhibitors

$$$$$	Sitagliptin Phosphate	JANUVIA	
	Prior Authorization Required		

Incretin Mimetic

$$$$$	Exenatide	BYETTA	
$$$$$	Liraglutide	VICTOZA	
$$$$$	Dulaglutide	TRULICITY	*Brand Only*
	Prior Authorization Required		

Sodium-Glucose Cotransporter 2 Inhibitors

$$$$$	Canagliflozin	INVOKANA	
	Prior Authorization Required		

Meglitinides

$$$$$	Repaglinide	PRANDIN	
$$$$$$	Empagliflozin	JARDIANCE	
	Prior Authorization Required		

Diabetic Other

$	Metformin*	GLUCOPHAGE	
$$$$$	Glucagon	GLUCAGON	
$$$$$$	Empagliflozin/linagliptin	GLYXAMBI	
	Prior Authorization Required		

THYROID

Thyroid Hormones

$	Levothyroxine*	LEVOXYL, SYNTHROID, THYQUIDITY	
$	Liothyronine*	CYTOMEL	
$	Thyroid*	THYROID	

Antithyroid Agents

$	Methimazole*	TAPAZOLE	
$	Propylthiouracil*	PROPYLTHIOURACIL	

OXYTOCICS

$	Methylergonovine*	METHERGINE	

MISC. ENDOCRINE

Calcium Regulators

$$$$	Calcitonin (Salmon)	MIACALCIN INJ	
$$$$	Calcitonin (Salmon)*	MIACALCIN NASAL	
	Prior Authorization Required		

Generic Name	***Brand Name***	***Annotation***

Hormone Receptor Modulators

$$$$$	Raloxifene*	EVISTA	
	Prior Authorization Required		

Gonadotropin Releasing Hormones

$$$$$	Nafarelin	SYNAREL	
	Prior Authorization Required		

Growth Hormone

$$$$$	Somatropin	HUMATROPE ONLY	
	Prior Authorization Required		

Posterior Pituitary

$$$	Alendronate*	FOSAMAX	
$$$$	Alendronate + Cholecalciferol	FOSAMAX PLUS D	
$$$$	Ibandronate*	BONIVA	
$$$$	Risedronate	ACTONEL	
$$$$	Desmopressin*	DDAVP	*(all dosage forms)*
	Prior Authorization Required		

Parathyroid Hormone

$$$$$	Teriparatide	FORTEO	

V. CARDIOVASCULAR AGENTS

CARDIOTONICS

Digitalis

$	Digoxin*	LANOXIN	*no caps*

PED Inhibitors

$$$$	Sildenafil Citrate	REVATIO	*20mg tablets and*
	Prior Authorization Required		*10mg/mL liquid*

ANTIANGINAL AGENTS

Nitrates

$	Isosorbide Dinitrate*	ISORDIL, ISORDIL TEMBIDS
$	Nitroglycerin (oral)*	NITROSTAT
$$$	Nitroglycerin (topical)*	NITRODUR,NITROBID
$$	Isosorbide Mononitrate*	IMDUR
	Prior Authorization Required	

Antianginals-Other

$	Dipyridamole*	PERSANTINE

BETA BLOCKERS

Beta Blockers Non-Selective

$	Propranolol*	INDERAL/LA
$	Timolol*	TIMOLOL
$$$	Sotalol*	BETAPACE
$$$	Carvedilol*	COREG

Beta Blockers Cardio-Selective

$	Atenolol*	TENORMIN
$	Metoprolol Tartrate*	LOPRESSOR
$$$	Metoprolol Succinate*	TOPROL XL

Alpha-Beta Blockers

$$$	Labetalol*	TRANDATE

CALCIUM BLOCKERS

$$$	Amlodipine*	NORVASC
$$$	Amlodipine & Benazepril*	LOTREL
$$$	Diltiazem*	CARDIZEM/CD, DILACOR/XR
$$	Felodipine*	FELODIPINE
$$$	Nifedipine*	ADALAT CC, PROCARDIA XL
$$	Verapamil*	CALAN, SR

Generic Name	*Brand Name*	*Annotation*
ANTIARRHYTHMIC		
$$$ Amiodarone*	CORDARONE	
$ Disopyramide*	NORPACE, CR	
$$$ Flecainide*	TAMBOCOR	
$ Procainamide*	PROCAINAMIDE	
$ Quinidine Sulfate*	QUINIDINE SULFATE	
$$$$ Mexiletine*	MEXILETINE	
$$$$ Propafenone*	RYTHMOL	
ANTIHYPERTENSIVE		
ACE Inhibitors		
$ Captopril*	CAPTOPRIL	
$$ Benazepril*	LOTENSIN	
$$ Enalapril*	VASOTEC	
$$ Fosinopril*	FOSINOPRIL	
$$ Lisinopril*	ZESTRIL	
$$ Quinapril*	ACCUPRIL	
$$ Ramipril*	ALTACE	
ACE II Inhibitors		
$$$$ Irbesartan*	AVAPRO	*QL = 30 tabs / month*
$$$ Losartan potassium*	COZAAR	*QL = 30 tabs / month*
$$$$$ Valsartan	DIOVAN	*QL = 30 tabs / month*
Prior Authorization Required		
Adrenolytics - Central		
$ Clonidine*	CATAPRES	*AL = 18 years and over* *No patches*
$ Guanfacine*	TENEX	*AL = 18 years and over*
Please note, extended release clonidine (Kapvay) and extended release guanfacine (Intuniv) for children ages 6-17 are covered under the mental health benefit.		
$ Methyldopa*	METHYLDOPA	
Adrenolytics - Peripheral		
$ Reserpine*	RESERPINE	
Alpha Blockers		
$$ Doxazosin*	CARDURA	
$ Prazosin*	MINIPRESS	
$$$$ Tamsulosin*	FLOMAX	
$$$ Terazosin*	TERAZOSIN	
Vasodilators		
$ Hydralazine*	APRESOLINE	
$ Minoxidil*	MINOXIDIL	*Topical not covered*
Beta Blocker Combinations		
$ Atenolol & Chlorthalidone*	TENORETIC	
$$$ Metoprolol & HCTZ*	LOPRESSOR HCT	
$ Propranolol & HCTZ*	PROPRANOLOL & HCTZ	*no LA*
ACE and ACE II Inhibitors & Diazides		
$$$$ Irbesartan & HCTZ*	AVALIDE	*QL = 30 tabs / month*
$$ Lisinopril & HCTZ*	ZESTORETIC	
$$$ Losartan potassium/HCTZ*	HYZAAR	*QL = 30 tabs / month*
$$$$ Valsartan & HCTZ*	DIOVAN HCT	*QL = 30 tabs / month*
Adrenolytics-Central & Thiazides		
$ Methyldopa & HCTZ*	METHYLDOPA & HCTZ	
$$ Clonidine & Chlorthalidone*	CLORPRES	
Vasodilators & Thiazides		
$ Hydralazine & HCTZ*	HYDRALAZINE & HCTZ	
DIURETICS		
Carbonic Anhydrase Inhibitors		
$ Acetazolamide*	DIAMOX	*no sequels*
$$$ Methazolamide*	METHAZOLAMIDE	

Generic Name	Brand Name	Annotation
Loop Diuretics		
$ Furosemide*	LASIX	
Potassium Sparing Diuretics		
$ Spironolactone*	ALDACTONE	
Thiazides		
$ Chlorothiazide*	DIURIL	
$ Chlorthalidone*	CHLORTHALIDONE	
$ Hydrochlorothiazide*	HYDROCHLOROTHIAZIDE	
$ Methyclothiazide*	METHYCLOTHIAZIDE	
$ Metolazone*	ZAROXOLYN	
$ Indapamide*	INDAPAMIDE	
Combination Diuretics		
$ Spironolactone & HCTZ*	ALDACTAZIDE	
$ Triamterene & HCTZ*	MAXZIDE	
Osmotic Diuretics		
$ Glycerin Supp*	GLYCERIN	*adult, infant, child*
PRESSORS		
Emergency Kits		
$$$$$ Epinephrine	EPI-PEN, EPI-PEN JR, ADRENACLICK	
ANTIHYPERLIPIDEMIC		
Bile Sequestrants		
$$$ Cholestyramine*	QUESTRAN, LIGHT	*cans only*
$$$ Colestipol*	COLESTID	*cans only*
Misc.		
$ Niacin*	NIACIN	*OTC (slow release)*
$ Niacin CR*	NIASPAN	
$$$ Fenofibrate tablets*	LOFIBRA	*54mg and 160mg*
$$$ Fenofibrate*	TRICOR	*48mg and 145mg*
$$ Gemfibrozil*	LOPID	
$$$$ Omega-3-acid ethyl esters*	LOVAZA	
$$$$ Fenofibrate	LIPOFEN, TRIGLIDE	
$$$$ Fenofibrate acid*	TRILIPIX	
$$$$ Fenofibrate micronized	ANTARA	
$$$$ Ezetimibe	ZETIA	
$$$$ Fenofibric Acid	FIBRICOR	
Prior Authorization Required		
HMG CoA Reductase Inhibitors		
$$$$$ Amlodipine & Atorvastatin*	CADUET	
$$$$ Atorvastatin*	LIPITOR	
$$$$ Fluvastatin*	LESCOL	
$$ Lovastatin*	MEVACOR	
$$$$ Niacin & Lovastatin	ADVICOR	
$ Pravastatin*	PRAVACHOL	
$$$$ Niacin-Simvastatin	SIMCOR	
$$$$ Rosuvastatin Calcium	CRESTOR	
$$$ Simvastatin*	ZOCOR	
$$$$$ Sacubitril & Valsartan	ENTRESTO	
$$$$ Simvastatin*	ZOCOR	*80mg only*
$$$$ Ezetimibe + Simvastatin	VYTORIN	
PCSK9 Inhibitors		
$$$$$ Evolocumab	REPATHA	*140MG/ML*
Prior Authorization Required		

VI. RESPIRATORY AGENTS

ANTIHISTAMINES

Antihistamines - Ethanolamines		
$ Diphenhydramine*	BENADRYL	*OTC product*

Generic Name	Brand Name	Annotation
Antihistamines - Non Sedating		
$$ Loratadine*	ALAVERT, CLARITIN	*OTC product*
$$ Loratadine / Pseudoephedrine*	CLARITIN-D 12hr, 24hr	*OTC product*
$$ Cetirizine*	ZYRTEC	*chew tabs/liquid AL ≤ 18*
$$ Cetirizine tabs*	ZYRTEC	
$$ Fexofenadine*	ALLEGRA OTC, ALLEGRA SUSP, ALLEGRA ODT	*30 or 60 per 30 days*
$$ Fexofenadine / Pseudoephedrine*	ALLEGRA-D OTC 12hr, 24hr	*30 or 60 per 30 days*
Antihistamines - Phenothiazines		
$ Promethazine*	PROMETHAZINE	*tabs only* *AL ≥ 2 years*

SYSTEMIC AND TOPICAL NASAL PRODUCTS

Nasal Antihistamines		
$$$$ Azelastine*	ASTELIN	
Prior Authorization Required		
Nasal Steroids		
$$ Flunisolide*	NASALIDE	
$$ Triamcinolone*	NASACORT AQ	
$$$ Fluticasone*	FLONASE	
$$$$ Mometasone furoate	NASONEX	
Mucolytics		
$$ Acetylcysteine*	MUCOMYST	

ANTIASTHMATIC

Anticholinergics		
$$ Ipratropium*	ATROVENT NASAL	
$$$$ Ipratropium	ATROVENT HFA	
$$$$ Tiotropium	SPIRIVA	
$$$$$ Aclidinium Bromide	TUDORZA PRESSAIR	*QL = 1 inh / 30 days*
Prior Authorization Required		
Anti-Inflammatory Agents		
$$$ Cromolyn (inhalation)*	INTAL	
$ Cromolyn (nasal)*	NASALCROM	
Beta Adrenergics		
$$ Albuterol	PROVENTIL HFA, VENTOLIN HFA, PROAIR HFA	
$$ Albuterol*	ALBUTEROL NEBULIZER SOLUTION	*0.5% (5mg/mL) and*
	SOLUTION	*0.083% (2.5mg/3ml)*
$$$ Pirbuterol	MAXAIR AUTOHALER	
$$$$$ Olodaterol	STRIVERDI	
$$$ Salmeterol	SEREVENT DISKUS	
Prior Authorization Required		
Adrenergic Combinations		
$$$$$ Ipratropium-Albuterol	COMBIVENT RESPIMAT	
$$$$ Albuterol-Ipratropium*	DUONEB	
$$$$$ Tiotropium-Olodaterol	STIOLTO	
$$ Umeclidinium-Vilanterol	ANORO ELLIPTA	
$$$$ Salmeterol-Fluticasone	ADVAIR, ADVAIR HFA	
$$$$ Budesonide-Formoterol	SYMBICORT	
Prior Authorization Required		
Steroid Inhalants		
$$$$ Fluticasone	FLOVENT HFA	
$$$ Triamcinolone	AZMACORT	
$$$$ Budesonide	PULMICORT FLEXHALER	
$$$$ Budesonide*	PULMICORT RESPULES	*AL = 4 years and under* *QL = 1 box / 30 days*
$$$$ Beclomethasone Dipropionate	QVAR	
Sympathomimetic Agents		
$ Pseudoephedrine HCL*	PSEUDOEPHEDRINE	*OTC product*
Mixed Adrenergics		
$$$$$ Epinephrine	EPI-PEN, EPI-PEN JR, ADRENACLICK	

Generic Name	Brand Name	Annotation
Xanthines		
$ Aminophylline*	AMINOPHYLLINE	
$$ Theophylline*	THEO-24, THEOCHRON	
Leukotriene Receptor Antagonists		
$$$ Montelukast Sodium*	SINGULAIR	

COUGH/COLD/ALLERGY

Expectorants		
$ Guaifenesin*	GUAIFENESIN	*OTC product*
$ Guaifenesin/DM*	GUAIFENESIN DM	*OTC product*
Cough/Cold/Allergy Combinations		
$ Brompheniramine*	BROMPHENIRAMINE	*Pediatric formulation*
$ Brompheniramine / Pseudoephedrine*	BROMPHENIRAMINE / PSEUDOEPHEDRINE	
$ Chlorpheniramine*	CHLORPHENIRAMINE	*Pediatric formulation*
$ Clemastine*	TAVIST	*Pediatric formulation*
$ Phenylephrine*	SUDAFED	*Pediatric formulation*
$ Pseudoephedrine-Bromphen-DM*	PSEUDOEPHED-BROMPHEN DM	
$ Pseudoephedrine-Chlorphen-DM*	PEDIA RELIEF LIQ COUGH/COLD	
$ Pseudoephedrine-DM liquid*	TRIAMINIC AM LIQ CGH/DECON	
$ Pseudoephedrine-DM soln*	PSEUDOEPHEDRINE-DM SOLN	
$ GG/Codeine sol*	GUIATUSS AC	
$ Benzonatate*	TESSALON, TESSALON PERLES	
$$ Pseudoephedrine-GG*	PSEUDO-G / PSI	
$ Pseudoephedrine HCL*	PSEUDOEPHEDRINE	*OTC product*

VII. GASTROINTESTINAL AGENTS

LAXATIVES

Osmotic Laxatives		
$ Polyethylene Glycol powder*	MIRALAX	
Surfactant Laxatives		
$ Docusate Sodium*	COLACE	*OTC product*
Stimulant Laxatives		
$ Bisacodyl*	DULCOLAX	*OTC product / caps only*
$ Sennosides*	SENOKOT	*OTC product*
$ Sennosides/Docustate*	SENNA-S	*OTC product*
Bulk Laxatives		
$ Polycarbophil Calcium*	FIBERCON	*OTC product*
$ Psyllium*	METAMUCIL	*OTC product*
Miscellaneous Laxatives		
$ Glycerin*	GLYCERIN	*OTC product*
$ LACTULOSE	LACTULOSE	
$ Magnesium Citrate*	CITROMA	*OTC product*
$ PEG-Electrolyte*	GOLYTELY	
Lubiprostone	AMITIZA	
Prior Authorization Required		

ANTIDIARRHEALS

Antiperistaltic Agents		
$ Diphenoxylate w/ Atropine*	LOMOTIL	
$ Loperamide*	IMODIUM	*OTC product*
Misc Antidiarrheal Agents		
$ Bismuth Subsalicylate*	PEPTO-BISMOL	*no tabs, OTC*
$$$$ Octreotide Acetate*	SANDOSTATIN	
Prior Authorization Required		

ANTACIDS

Antacids - Aluminum Salts		
$ Aluminum Hydroxide Gel*	ALUMINUM HYDROXIDE	*OTC product*

Generic Name	Brand Name	Annotation
Antacids - Calcium Salts		
$ Calcium Carbonate*	OS-CAL	*OTC product*
Antacid Combinations		
$ Al Hydrox-Mag Carb*	MAALOX	*no tabs, OTC*
$ Aluminum & Magnesium Hydroxide*	MYLANTA	*no tabs, OTC*
ULCER DRUGS		
Belladonna Alkaloids		
$ Hyoscyamine Sulfate*	LEVSIN	*tablets or SL only*
Quaternary Anticholinergics		
$ Propantheline Bromide*	PROPANTHELINE BROMIDE	
Antispasmodics		
$ Dicyclomine*	BENTYL	
H-2 Antagonists		
$ Famotidine*	PEPCID	*tabs only*
$ Ranitidine*	ZANTAC	*no caps*
Proton Pump Inhibitors		
$ Esomeprazole Magnesium	NEXIUM 24 HR OTC	*OTC*
$$ Omeprazole*	PRILOSEC OTC	*OTC*
$$ Lansoprazole*	PREVACID	*OTC*
$$$$ Lansoprazole*	PREVACID	*RX*
$$$ Pantoprazole*	(Generic) PROTONIX	
$$$ Rabeprazole*	ACIPHEX	
$$$$ Lansoprazole*	PREVACID SOLU-TAB	
Prior Authorization Required		
Misc. Anti-Ulcer		
$$ Sucralfate*	CARAFATE TABLETS	
$$$$ Sucralfate*	CARAFATE SUSPENSION	
Prior Authorization Required		
ANTIEMETICS		
Antiemetics - Anticholinergic		
$ Meclizine*	MECLIZINE	
$$ Prochlorperazine*	PROCHLORPERAZINE	*no SR*
5-HT3 Receptor Antagonists		
$$$$$ Ondansetron*	ZOFRAN	*QL = 10 tabs per fill*
$$$$$ Ondansetron*	ZOFRAN ODT	*QL = 10 tabs per fill*
$$$$$ Ondansetron*	ZOFRAN	*Suspension: QL = 50mls per fill*
Prior Authorization Required		
Neurokinin 1 Receptor		
$$$$$ Aprepitant	EMEND	
Prior Authorization Required		
DIGESTIVE AIDS		
Digestive Aids - Mixtures		
$$$$ Pancrelipase (Lip-Prot-Amyl)	VIOKACE	
$$$$ Pancrelipase (Lip-Prot-Amyl) DR	CREON, ZENPEP, ULTRESA PANCREAZE, PANCRELIPASE PERTZYE	
MISC. GI		
GI Stimulants		
$ Metoclopramide*	REGLAN	*no 5mg tabs*
Inflammatory Bowel Agents		
$$$$$ Mesalamine	PENTASA	
$$$$ Mesalamine*	ROWASA	
$ Sulfasalazine*	AZULFIDINE	*no EN tabs*

Generic Name	*Brand Name*	*Annotation*

VIII. GENITOURINARY

URINARY ANTIINFECTIVES

$	Methenamine Mandelate*	MANDELAMINE	
$$$	Nitrofurantoin*	FURADANTIN	
$$	Nitrofurantoin Macrocrystals*	MACROBID	
$	Trimethoprim*	TRIMETHOPRIM	

URINARY ANTISPASMODICS

$	Bethanechol*	URECHOLINE	
$$$	Finasteride*	PROSCAR	
$$$	Flavoxate*	FLAVOXATE	
$	Hyoscyamine*	LEVSINEX	
$	Oxybutynin*	DITROPAN	
$$$$	Tolterodine Tartrate	DETROL	
$$$$$	Fesoterodine Fumarate	TOVIAZ	
$$$$$	Darifenacin Hydrobromide	ENABLEX	
$$$$	Trospium*	TROSPIUM	
$$$$$	Solifenacin	VESICARE	
$$$$$	Mirabergron	MYBETRIQ	
	Prior Authorization Required		

VAGINAL PRODUCTS

Vaginal Antiinfectives

$$	Clindamycin*	CLEOCIN	
$	Nystatin*	NYSTATIN	
$$	Sulfanilamide	AVC	
$$	Metronidazole*	METROGEL-VAGINAL	
	Prior Authorization Required		

Imidazole-Related Antifungals

$	Butoconazole Nitrate*	GYNAZOLE-1	*OTC product*
$	Clotrimazole Vag*	MYCELEX	*OTC product*
$	Miconazole*	MONISTAT	*OTC product*

Vaginal Antiinfective Combinations

$	Triple Sulfas Vaginal*	TRIPLE SULFAS VAGINAL	

MISCELLANEOUS GENITOURINARY PRODUCTS

Citrates

$	Sodium Citrate & Citric Acid*	ORACIT	

Urinary Analgesics

$	Phenazopyridine*	PYRIDIUM	

IX. CENTRAL NERVOUS SYSTEM DRUGS

ANTIPSYCHOTICS

Phenothiazines

$$	Prochlorperazine*	PROCHLORPERAZINE	*no SR*

HYPNOTICS

Barbiturate Hypnotics

$	Butabarbital	BUTISOL	
$	Mephobarbital	MEBARAL	
$	Phenobarbital*	PHENOBARBITAL	

Antihistamine Hypnotics

$	Diphenhydramine*	BENADRYL	*OTC product*

Generic Name	***Brand Name***	***Annotation***

X. ANALGESICS & ANESTHETICS

ANALGESICS - NonNarcotic

Salicylates		
$ Aspirin zero order*	ZORPRIN	
$$ Salsalate*	DISALCID	
Salicylate Combinations		
$ Aspirin Enteric Coated*	ECOTRIN	*OTC product*
$ Aspirin with Buffers*	ASPIRIN BUFFERED	*OTC product*
$$ Choline & Mag Salicylate*	CHOLINE & MAG SALICYLATE	
Analgesics Other		
$ Acetaminophen*	TYLENOL	*OTC product*
Analgesics - Sedatives		
$ APAP/Caffeine/Butalbital*	FIORICET	*50/325/40 mg only*
$ Aspirin/Caffeine/Butalbital*	FIORINAL	*50/325/40 mg only*

ANALGESICS - Narcotic

QUANTITY LIMITS APPLY TO ALL NARCOTIC ANALGESICS. PLEASE SEE WEBSITE FOR FULL LIST OF QUANTITY LIMITS: jaimedicalsystems.com/providers/pharmacy.
The initial fill of an opioid (initial fill = no opioid fills in the last 90days) are limited to no more than a 7 day supply.
****PA required for methadone for pain and all extended-release opioid formulations and for quantities greater than 90 MME. Special PA forms are available at jaimedicalsystems.com/providers/pharmacy.****

Narcotic Agonists		
$ Codeine Phosphate*	CODEINE PHOSPHATE	
$ Codeine Sulfate*	CODEINE SULFATE	
$$$ Hydromorphone*	DILAUDID	
$ Meperidine*	DEMEROL	
$$$ Morphine Sulfate*	MORPHINE SULFATE	
$$$ Oxycodone*	OXYCODONE	*5mg caps*
$$$ Oxycodone*	ROXICODONE	*5mg, 10mg, 15mg, 30mg tabs and 20mg/mL oral soln*
$$$ Tramadol*	ULTRAM	
$$$$ Tramadol/APAP*	ULTRACET	
$ Methadone*	METHADONE	*Attestation PA only*
$$$$ Morphine Sulfate SR*	MS CONTIN	*Attestation PA only*
$$$$$ Tramadol ER*	ULTRAM ER	
$$$$$ Fentanyl*	DURAGESIC	
$$$$$ Oxycodone CR*	OXYCONTIN	
Prior Authorization Required		
Narcotic Combinations		
$ Oxycodone w/ Acetaminophen*	PERCOCET	*5/500 tabs and caps 5/325 tabs and soln*
Codeine Combinations		
$ Acetaminophen w/ Codeine*	TYLENOL / CODEINE	
$ Acetaminophen w/ Codeine Sol*	ACETAMINOPHEN W / COD	*120-12 mg / 5ml*
$ Aspirin w/ Codeine*	ASPIRIN / CODEINE	
Hydrocodone Combinations		
$$ Acetaminophen w/ Hydrocodone*	VICODIN, LORTAB, NORCO	*5/500, 5/325*
$$ Acetaminophen w/ Hydrocodone*	XODOL	*5/300 mg tabs*
Propoxyphene Combinations		
$ Propoxyphene w/ APAP*	PROPOXYPHENE W/ APAP	*100mg tabs*

ANTI-RHEUMATIC

NSAID's		
$$ Diclofenac*	VOLTAREN	
$$ Etodolac*	ETODOLAC	
$$ Fenoprofen*	NALFON	
$$$ Flurbiprofen*	FLURBIPROFEN	
$ Ibuprofen*	MOTRIN	
$ Indomethacin*	INDOCIN	*no SR or supp.*
$ Meloxicam*	MOBIC	
$ Naproxen*	NAPROSYN	*no EC*
$ Naproxen Sodium*	ANAPROX	
$ Piroxicam*	FELDENE	
$$ Sulindac*	SULINDAC	

Generic Name	***Brand Name***	***Annotation***
COX-2 Inhibitor		
$$$$$ Celecoxib	CELEBREX	
Prior Authorization Required		
Anti-Rheumatic Antimetabolite		
$$$$ Methotrexate*	RHEUMATREX	
GOUT		
$ Allopurinol*	ZYLOPRIM	
$$$$ Colchicine	COLCRYS	
Uricosurics		
$ Probenecid*	PROBENECID	
LOCAL ANESTHETICS		
$ Lidocaine*	LIDOCAINE	*2% soln, 3%, 5% cream*
Lidocaine/Prilocoaine	EMLA	*2.5/2.5%*
$$$$$ Lidocaine*	LIDODERM PATCHES	*QL = 90 patches /30 days*
Prior Authorization Required		
MIGRAINE PRODUCTS		
$$$ Ergoloid mesylates*	HYDERGINE	
$$$$ Sumatriptan tablets*	IMITREX	*QL = 9 tabs/30 days*
$$$$ Sumatriptan injection*	IMITREX	*QL = 2 injections/30 days*
$$$$ Sumatriptan nasal*	IMITREX	*QL = 6 sprays/30 days*
$$$$$ Sumatriptan-naproxen	TREXIMET	*QL = 9 tabs/30 days*
$$$$$ Rizatriptan tablets*	MAXALT	*QL = 6 tabs/30 days*
$$$$ Zolmitriptan tablets*	ZOMIG	*QL = 6 tabs/30 days tabs only*
Prior Authorization Required		

XI. NEUROMUSCULAR AGENTS

ANTICONVULSANT		
Hydantoins		
$$ Phenytoin*	DILANTIN	
Succinimides		
$$ Ethosuximide*	ZARONTIN	
Miscellaneous Anticonvulsants		
$$$ Primidone*	MYSOLINE	
ANTIPARKINSONIAN		
COMT Inhibitors		
$$$ Entacapone*	COMTAN	
Prior Authorization Required		
Dopaminergic		
$ Amantadine*	AMANTADINE	
$$$ Bromocriptine*	PARLODEL	*no postpartum use*
$$ Ropinirole*	REQUIP	
Prior Authorization Required		
Levodopa Combinations		
$$$ Carbidopa-Levodopa*	SINEMET, CR	*no 100-25 CR*
Monoamine Oxidase Inhibitor		
$$$$ Selegiline*	ELDEPRYL	
MUSCULOSKELETAL THERAPY AGENTS		
Central Muscle Relaxants		
$$ Baclofen*	BACLOFEN	
$ Cyclobenzaprine*	CYCLOBENZAPRINE	
$ Methocarbamol*	ROBAXIN	
Direct Muscle Relaxants		
$$$$ Dantrolene*	DANTRIUM	
Prior Authorization Required		

Generic Name	Brand Name	Annotation
Fibromyalgia		
$$$$$ Milnacipran	SAVELLA	
Prior Authorization Required		
Muscle Relaxant Combinations		
$ Methocarbamol w/ Aspirin*	METHOCARBAMOL w/ASA	
ANTIMYASTHENIC AGENTS		
Antimyasthenic Agents		
$$$$ Pyridostigmine*	MESTINON	
Benzothiazoles		
$$$$$ Riluzole*	RILUTEK	
Prior Authorization Required		

XII. NUTRITIONAL PRODUCTS

VITAMINS

Water Soluble Vitamins		
$ Niacin*	NIACIN	
Oil Soluble Vitamins		
$ Vitamin A*	VITAMIN A	
Vitamin D		
$$ Calcitriol*	ROCALTROL	*Vitamin D3*
$$ Ergocalciferol*	DRISDOL	*Vitamin D2*
$$ Cholecalciferol*	VITAMIN D3	
Vitamin K		
$$ Mephyton	VITAMIN K	*QL = 5 tabs / 30 days*
Prior Authorization Required		

MULTIVITAMINS

$ Folic Acid & Vitamin B Complex*	NEPHROCAPS	
$ Multiple Vitamin*	ONE-A-DAY	*OTC product*
$ Multiple Vitamin w/ Minerals*	AP-ZEL, BACMIN, CENTRUM	
$ Pediatric Vitamins*	PEDIATRIC VITAMINS	*OTC product*
$ Pediatric Multivitamins*	POLY-VI-SOL	*up to 16 years only*
$ Pediatric Multivitamins w/Iron*	POLY-VI-SOL / IRON	*up to 16 years only*
$ Pediatric Multivitamins w/Fluoride*	TRI-VI-FLOR	*up to 16 years only*
$ Pediatric Multivitamins w/Fluoride and Iron*	TRI-VI-FLOR / IRON	*up to 16 years only*
$ Pediatric Vitamin ADC*	TRI-VI-SOL	*up to 16 years only*
$ Pediatric Vitamin ADC w/Iron*	TRI-VI-SOL / IRON	*up to 16 years only*
$ Prenatal MV & Min w/FE-FA*	PRENATAL-1	
$ Prenatal Vitamins*	PRENATABS RX	

CITRATES

$ Sodium Citrate & Citric Acid*	ORACIT	

MINERALS & ELECTROLYTES

Calcium		
$ Calcium Acetate*	PHOSLO	*caps only*
$ Calcium Carbonate*	OS-CAL	*OTC product*
Fluoride		
$ Sodium Fluoride*	LURIDE	
Potassium		
$ Potassium Chloride Capsule*	MICRO-K	
$ Potassium Chloride Liquid*	POTASSIUM CHLORIDE LIQUID	
$ Potassium Chloride Tablet*	KLOR-CON	
Electrolyte Mixtures		
$ Oral Electrolytes Packets*	CERALYTE, CERASPORT	
$ Oral Electrolytes*	PEDIALYTE	*OTC product*

Generic Name	*Brand Name*	*Annotation*

DIETARY PRODUCTS

$$ Infant Foods	ENFAMIL / SIMILAC	*OTC product*
$$ Phenyl-Free*	PHENYL-FREE	*OTC product*

MISCELLANEOUS NUTRITIONAL PRODUCTS

$$ Nutritional Supplements	ENSURE, PEDIASURE, BOOST, VIVONEX	
Prior Authorization Required		
For enteral access only. For members without enteral access, follow the DME process. (Nutritional Supplements are not limited to this list)		

XIII. HEMATOLOGICAL AGENTS

HEMATOPOIETIC AGENTS

Cobalamines

$ Cyanocobalamin*	VITAMIN B-12	*1,000mg tabs only*
$ Folic Acid*	FOLIC ACID	
$$$ Leucovorin Calcium*	LEUCOVORIN	
$ Thiamine	THIAMINE	
$ Cyanocobalamin*	VITAMIN B-12	*injection*
$ Hydroxocobalamin*	HYDROXOCOBALAMIN	
Prior Authorization Required		

Iron

$ Ferrous Gluconate*	FERGON	*OTC product*
$ Ferrous Sulfate*	FEOSOL	*OTC product*

Hematopoietic Growth Factors

$$$$$ Darbepoetin	ARANESP	*4 injections / month*
Prior Authorization Required		

Erythropoietins

$$$$$ Epoetin Alfa	EPOGEN	*2,000U, 3,000U, 4,000U, 10,000 - QL = 12 injections / month* *20,000U, 40,000U - QL = 4 injections / month*
Prior Authorization Required		

Leukocytes

$$$$$ Filgrastim	NEUPOGEN	*QL = 30 injections / month*
Prior Authorization Required		

ANTICOAGULANTS

Coumarin Anticoagulants

$$ Warfarin Sodium*	COUMADIN

Heparin Agents

$$$$$ Enoxaparin*	LOVENOX
$$$$$ Apixaban	ELIQUIS

Thrombin Inhibitors

$$$$$ Dabigatran	PRADAXA
Prior Authorization Required	

HEMOSTATICS

Hemostatics - Topical

$$$$ Thrombin	THROMBIN
Prior Authorization Required	

MISC. HEMATOLOGICAL

Antihemophilic Products

$$$$$ Antihemophilic Factor (Human)	KOATE-DVI, HP, HEMOFIL M
$$$$$ Antihemophilic Factor (Recombinate)	RECOMBINATE
$$$$$ Antiinhibitor Coagulant Complex	FEIBA VH
$$$$$ Antithrombin III (Human)	THROMBATE III
Prior Authorization Required	

Generic Name	Brand Name	Annotation
Platelet Aggregation Inhibitors		
$$$ Clopidogrel*	PLAVIX	
Phosphodiesterase III Inhibitors		
$$$$ Cilostazol	PLETAL	
Hematorheological		
$$ Pentoxifylline*	TRENTAL	
Prior Authorization Required		

XIV. BEHAVIORAL HEALTH AGENTS

MISCELLANEOUS

Reversible Acetylcholinesterase inhibitor		
$$$$ Donepezil*	ARICEPT	
$$$$ Galantamine*	RAZADYNE / RAZADYNE ER	
$$$$ Rivastigmine*	EXELON	
Prior Authorization Required		
Miscellaneous		
$$$$$ Clonidine*	KAPVAY	*Please refer to Introduction page I-5*
$$$$$ Guanfacine*	INTUNIV	*Please refer to Introduction page I-5*
$$$$ Memantine	NAMENDA	
Prior Authorization Required		

ANTICONVULSANT

Misc. Anticonvulsants		
$$$ Primidone*	MYSOLINE	

XV. TOPICAL AGENTS

OPHTHALMIC

Antibiotics		
$$$ Bacitracin*	AK-TRACIN	
$$$ Ciprofloxacin*	CILOXAN	
$ Erythromycin*	ROMYCIN	
$ Gentamicin Sulfate*	GENTAK	
$$$ Moxifloxacin Hydrochloride	VIGAMOX	*AL= 18 years and under*
$ Ofloxacin	OCUFLOX	
$ Polymyxin B-Trimethoprim*	POLYTRIM	
$$$ Gatifloxacin*	ZYMAXID	
Prior Authorization Required		
Anti Allergic		
$ Ketotifen Fumarate Ophth Soln*	ZADITOR	
$$ Lodoxamide Tromethamine	ALOMIDE	*QL = 20 mls / 30 days*
$$$ Olopatadine HCL Ophth soln 0.1%	PATANOL	*QL = 20 mls / 30 days*
$$$$ Olopatadine HCL Ophth soln 0.2%	PATADAY	
$$$$ Azelastine 0.05% eye drops	(GENERIC) OPTIVAR	
Prior Authorization Required		
Sulfonamides		
$ Sodium Sulfacetamide*	BLEPH-10	
Antivirals		
$$$ Trifluridine*	VIROPTIC	
Antiinfective Combinations		
$ Bacitracin-Polymyxin B*	POLYSPORIN	
$ Neomycin-Bac Zn-Polymyxin*	NEOMYCIN-BAC ZN-POLYMIXIN	
$ Neomycin-Polymy-Gramicidin*	NEOSPORIN	
Beta-Blockers		
$$$$ Betaxolol*	BETOPTIC, BETOPTIC S	
$ Timolol*	BETIMOL, TIMOPTIC	*no XE*
$ Dorzolamide HCL-Timolol Maleate*	COSOPT	
Steroids		
$$ Dexamethasone*	DEXAMETHASONE	
$$ Prednisolone Acetate*	PRED FORTE, MILD	

Generic Name	Brand Name	Annotation
Steroid Combinations		
$ Bacitracin-Polymyxin-Neomycin-HC*	BACITRACIN-POLYMIXIN-NEOMYCIN-HC	
$ Neomycin-Polymyxin-Dexamethasone*	MAXITROL	
$$ Tobramycin-Dexamethasone*	TOBRADEX	
$$$ Neomycin-Polymyxin-HC*	CORTISPORIN	
$$$ Sulfacetamide Sod-Prednisolone*	BLEPHAMIDE	
Cycloplegics		
$ Atropine Sulfate*	ISOPTO ATROPINE	
Decongestants		
$ Naphazoline*	NAPHAZOLINE	
$$ Phenylephrine*	MYDFRIN	
Ophthalmic NSAID's		
$ Diclofenac Sodium*	VOLTAREN	
$$ Flurbiprofen*	OCUFEN	
Miotics - Direct Acting		
$ Pilocarpine*	ISOPTO-CARPINE	*no Ocusert*
$$ Brimonidine Tartrate	ALPHAGAN 0.2%, ALPHAGAN P 0.15%	
Prior Authorization Required		
Prostaglandins		
$$$ Latanoprost*	XALATAN	
Carbonic Anhydrase Inhibitors		
$$ Dorzolamide*	TRUSOPT	
OTIC		
Steroids		
$ Hydrocortisone w/Acetic Acid*	ACETASOL HC	*QL = 20 mls / 30 days*
Antibiotics & Steroid-Antibiotic Combinations		
$ Neomycin-Polymyxin-HC*	CORTISPORIN	*QL = 20 mls / 30 days*
Antibiotics		
$$$ Ofloxacin*	OFLOXACIN	*QL = 20 mls / 30 days*
Anti Infective		
$ Carbamide Peroxide*	DEBROX	
Analgesic Combinations		
$ Benzocaine & Antipyrine*	A/B OTIC	
MOUTH & THROAT (Local)		
Antiinfectives - Throat		
$$$ Clotrimazole*	CLOTRIMAZOLE TROCHE	
$ Nystatin*	NYSTATIN	
ANORECTAL		
Rectal Steroids		
$ Hydrocortisone*	ANUSOL-HC	*2.5% cream*
$$ Hydrocortisone*	PROCTOCREAM	*2.5% cream*
DERMATOLOGICAL		
Antibiotics - Topical		
$$ Bacitracin*	BACITRACIN	*OTC product*
$ Gentamicin Sulfate*	GENTAMICIN	
$$$ Metronidazole*	METROGEL	
$$$ Mupirocin*	BACTROBAN	
$ Neomycin Sulfate*	NEOMYCIN	
Antibiotic Mixtures Topical		
$ Neomycin-Bacitracin-Polymyxin*	NEOSPORIN	*OTC product*
Antibiotic Steroid Combinations		
$$ Neomycin-Polymyxin-HC*	CORTISPORIN	

Generic Name	Brand Name	Annotation
Imidazole-Related Antifungals (Topical)		
$$ Clotrimazole Topical*	LOTRIMIN	*OTC product*
$ Miconazole*	MONISTAT	*OTC product*
Antifungals		
$ Nystatin*	NYSTATIN	*no powder*
Antifungals - Topical Combinations		
$$ Nystatin-Triamcinolone*	NYSTATIN-TRIAMCINOLONE	
Antipsoriatics		
$$$$ Calcipotriene*	DOVONEX	
Antiseborrheic Products		
$ Sulfacetamide Sodium*	SULFACETAMIDE SODIUM	
Burn Products		
$ Silver Sulfadiazine*	SILVADENE	
Tar Products		
$ Coal Tar*	COAL TAR SHAMPOO	*1% only*
Enzymes - Topical		
$$$ Collagenase	SANTYL	
Keratolytics/Antimitotics		
$$$$ Podofilox*	CONDYLOX	
$$$$$ Urea*	KERALAC, UMECTA	
$$$$$ Urea 45%*	URAMAXIN GEL 45%	
Local Anesthetics - Topical		
$ Lidocaine viscous*	LIDOCAINE VISCOUS	
$$ Diclofenac*	VOLTAREN	*1% gel*
Scabicides & Pediculocides		
$ Lindane*	LINDANE	
$$ Permethrin*	ELIMITE	
$$ Permethrin*	NIX	*OTC product*
Misc. Topical		
$$ Ammonium Lactate*	LAC-HYDRIN	*cream & lotion*
$$$ Fluorouracil*	EFUDEX	*2% and 5% cream only*
$$$ Tacrolimus oint*	PROTOPIC	
$$$ Pimecrolimus	ELIDEL	
Prior Authorization Required		
Antiviral Topical		
$$$$ Acyclovir	ZOVIRAX	*ointment & suspension*
Prior Authorization Required		
Corticosteroids - Topical		
$ Betamethasone Dipropionate*	BETAMETHASONE DIPROPIONATE	
$ Betamethasone Valerate*	BETAMETHASONE VALERATE	
$ Clobetasol Propionate*	TEMOVATE	
$ Desonide*	DESOWEN	
$ Fluocinonide*	FLUOCINONIDE	
$ Fluocinonide Acetonide*	SYNALAR	
$ Hydrocortisone*	HYDROCORTISONE	*OTC product*
$ Triamcinolone Acetonide*	KENALOG	*Topical and injectable*
$ Triamcinolone Acetonide in Orabase*	TRIAM. ACET. IN ORABASE	
Acne Products		
$ Benzoyl Peroxide*	BENZAC W	
$$ Tretinoin*	RETIN-A	*Ages 0-21 only / no Micro*
$$$ Adapalene*	DIFFERIN	*Ages 0-21 only Gel / Cream*
Acne Antibiotics		
$$ Clindamycin Phosphate*	CLEOCIN	
$$ Erythromycin Gel*	ERYGEL	

Generic Name	*Brand Name*	*Annotation*

XVI. MISCELLANEOUS PRODUCTS

ANTIDOTES

$ Ipecac*	IPECAC	*OTC product*
$ Charcoal Activated	CHARCOCAPS	*OTC product*

DIAGNOSTIC PRODUCTS

Diagnostic Reagents

$ Acetone Tablets	ACETEST	
$ Acetone Test*	KETOSTIX	
$ Glucose Urine Test*	CLINITEST	
$$ Glucose Blood*	GLUCOSE BLOOD	

MEDICAL DEVICES

Parenteral Therapy Supplies

$ Disposable Needles & Syringes*	B-D INSULIN SYRINGE	
$ Insulin Pen Needles	Insulin Pen Needles	

Diabetic Supplies

$$ Blood Glucose Monitoring Tests*	GLUCOMETER	*Only Bayer Ascensia Contour Glucometer*
$ Calibration Solution*	CALIBRATION SOLUTION	
$ Lancet Device	GLUCOLET / AUTOLET	
$ Lancets*	LANCETS	

Misc. Devices

$ Alcohol Swabs*	ALCOHOL PADS	

CONTRACEPTIVES

$ Condoms		

ASSORTED CLASSES

Chelating Agents

$$$$ Penicillamine	CUPRIMINE	
$$$$ Succimer	CHEMET	
Prior Authorization Required		

Immunosuppressive Agents

$$$$$ Cyclosporine Microsize*	NEORAL	
$$$$$ Sirolimus*	RAPAMUNE	
$$$$$ Tacrolimus*	PROGRAF	

Inosine Monophosphate Dehydrogenase Inhibitors

$$$$$ Mycophenolate Mofetil*	CELLCEPT	
$$$$$ Mycophenolate Sodium*	MYFORTIC	

Mutiple Sclerosis - Adjuvants

$$$$$ Teriflunomide	AUBAGIO	*QL = 60 tabs / 30 days*
$$$$$ Dimethyl Fumarate	TECFIDERA	*QL = 60 tabs / 30 days*
$$$$$ Dalfampridine	AMPYRA	*QL = 60 tabs / 30 days*
Prior Authorization Required		

Purine Analogs

$$$ Azathioprine*	IMURAN	

K Removing Resin

$$$$ Sodium Polystyrene Sulfonate*	KAYEXALATE	

Rheumatology Biologics

$$$$$ Adalimumab	HUMIRA	
$$$$$ Etanercept	ENBREL	
Prior Authorization Required		

Prior Authorization Guidelines

GENERIC: ACARBOSE
BRAND: PRECOSE®

INDICATION:
(1) Type 2 diabetes mellitus

Criteria:
(a) Failure of maximal doses of *one* oral sulfonylurea (e.g., glyburide 20mg daily or equivalent). Failure is defined as Hemoglobin A1c> 7.0.

GENERIC: ACLIDINIUM BROMIDE AEROSOL POWDER
BRAND: TUDORZA PRESSAIR®

INDICATION:
(1) Long-term maintenance treatment of bronchospasm associated with COPD (including bronchitis and emphysema)

Criteria:
(a) Diagnosis of COPD **and**
(b) Must be greater than 18 years of age **and**
(c) Documented inadequate response or intolerance to Spiriva

GENERIC: ACYCLOVIR TOPICAL OINTMENT/SUSPENSION
BRAND: ZOVIRAX® 5%

INDICATIONS:
(1) Herpes genitalis
(2) Oral herpes infection

Criteria:
(a) Herpes genitalis – for initial episode only; **or**
(b) Oral herpes infection – for immunocompromised patients *only*.

Additional Criteria for Suspension:
(c) Patient is <17 years of age; **or**
(d) Unable to ingest solid dosage form (e.g. capsules) due to dysphagia

GENERIC: ADALIMUMAB
BRAND: HUMIRA®

INDICATIONS:
(1) Moderate to severely active rheumatoid arthritis
(2) Psoriatic arthritis
(3) Ankylosing spondylitis

(4) Moderate to severely active Crohn's disease

Criteria:

(a) The patient had a NEGATIVE tuberculin skin test, or if positive, has received treatment for latent TB prior to Humira therapy; **and**

(b) The patient does not have a clinically important active infection

Additional Criteria for RA:

(a) The patient has failed or is intolerant to one formulary NSAID **and**

(b) The patient has failed or is intolerant to one formulary DMARD

Additional Criteria for Crohn's:

(a) The patient has failed or is intolerant to infliximab; **or**

(b) The patient has failed or is intolerant to mesalamine or sulfasalazine; **and**

(c) The patient has failed or is intolerant to corticosteroids; **and**

(d) The patient has failed or is intolerant to an immunomodulator (e.g., methotrexate, 6-mercaptopurine or azathioprine)

GENERIC: ANTIHEMOPHILIC FACTORS
BRAND: KOATE-DVI®, FEIBA VH®, RECOMBINATE®, THROMBATE III®

INDICATION:

(1) Hemophilia A

Criteria:

(a) Diagnosis of Hemophilia A

GENERIC: APREPITANT
BRAND: EMEND®

INDICATION:

(1) Nausea and vomiting

Criteria:

(a) For the prevention of post-operative nausea and vomiting; **or**

(b) For the prevention of chemotherapy-induced nausea and vomiting

Prior Authorization Guidelines

GENERIC: AZELASTINE NASAL SPRAY
BRAND: ASTELIN®

INDICATIONS:
(1) Perennial allergic rhinitis
(2) Seasonal allergic rhinitis

Criteria:
(a) Patient is ≥ 5 years of age with one of the above diagnoses; **and**
(b) Failure of at least one formulary nasal steroid after a period of at least two months on the maximum dose appropriate and tolerated by the patient

GENERIC: AZELASTINE 0.05% Eye Drops

INDICATION:
(1) Allergic conjunctivitis

Criteria:
(a) Patient is ≥ 3 years of age with the above diagnoses
(b) Failure of Ketotifen and any various store brands OTC shelf

GENERIC: BRIMONIDINE
BRAND: ALPHAGAN 0.2%®, ALPHAGAN P 0.15%®

INDICATION:
(1) Glaucoma

Criteria:
(a) Failure of formulary ophthalmic beta blocker (betaxolol, Timolol, dorzolamide/timolol)

GENERIC: BUDESONIDE/FORMOTEROL
BRAND: SYMBICORT®

INDICATION:
(1) Maintenance treatment of asthma in patients 12 years of age and older

Criteria:
(a) Currently on, but not adequately controlled by an inhaled corticosteroid; **or**
(b) Maintenance treatment of airflow obstruction in patients with chronic bronchitis and emphysema
(c) Patients must be reevaluated after 6 months

Prior Authorization Guidelines

For members currently with an approved prior authorization for Symbicort, claims will process as long as the member has filled Symbicort within the last 4 months. No yearly renewal will be needed for compliant members. Prior authorization will be required for members new to the plan, new to Symbicort therapy or with no claims history of Symbicort within the last 4 months. Once approved, 90-day supplies are allowed.

GENERIC: CALCITONIN-SALMON
BRAND: MIACALCIN®

INDICATIONS:

(1) Mild to moderate Paget's disease of bone
(2) Osteoporosis

Criteria:

(a) Failure, contraindication or intolerance to adequate trial of oral bisphosphonate; **and**
(b) One of the following:
    (1) Bone density measurement ≥2.5 standard deviations below the mean for normal, young adults of same gender (T-score ≤ -2.5); **or**
    (2) History of an osteoporotic vertebral fracture; **or**
    (3) Postmenopausal woman with low bone mineral density defined by T-score between -2.0 and -2.5 AND one of the following risk factors for fracture:
        (a) Thinness or low body mass index defined by weight <127 lb (57.7 kg) or BMI < 21 kg/m^2
        (b) History of fragility fracture since menopause
        (c) History of hip fracture in a parent
    (4) Diagnosis of Paget's disease of bone
(c) Patients receiving glucocorticoids in daily dosages of >7.5mg prednisone daily (see table) AND who have bone density measurement > 1 standard deviations below the mean for normal, young adults of same gender (T-score < -1.0)

Glucocorticoid Potency Equivalencies			
Glucocorticoid	**Approximate equivalent dose (mg)**	**Relative anti-inflammatory (glucocorticoid) potency**	**Relative mineralocorticoid potency**
Short-acting			
Cortisone	25	0.8	2
Hydrocortisone	20	1	2
Intermediate-acting	5	4	1
Prednisone	5	4	1
Prednisolone	4	5	0
Triamcinolone	4	5	0
Methylprednisolone			
Long-acting			
Dexamethasone	0.75	20-30	0
Betamethasone	0.6-0.75	20-30	0

Table adapted from Facts and Comparisons® 1999:122

** For injectable medications administered by a healthcare professional, please refer to the "Specialty Medication Guidelines" in the beginning of this formulary.*

** If documentation of osteoporosis is available, please submit with PA request.*

GENERIC: CANAGLIFLOZIN
BRAND: INVOKANA®

INDICATION:

(1) Type 2 diabetes mellitus

Criteria:

(a) Diagnosis of Type 2 diabetes mellitus
(b) Has not achieved adequate glycemic control on at least ONE of the following:
    (1) Metformin (alone or in a combination)
    (2) Sulfonylurea (alone or in a combination)
    (3) A preferred DPP-4 (Januvia)
(c) Contraindication to BOTH metformin and a sulfonylurea
(d) Contraindication to a preferred DPP-4 inhibitor

GENERIC: CELECOXIB
BRAND: CELEBREX®

INDICATIONS:

(1) Relief of signs and symptoms of rheumatoid arthritis (RA) in adults
(2) Relief of signs and symptoms of osteoarthritis (OA)
(3) Relief of signs and symptoms of ankylosing spondylitis
(4) Management of acute pain in adults
(5) Treatment of primary dysmenorrhea
(6) To reduce the number of adenomatous polyps in familial adenomatous polyposis, as an adjunct to usual care

Criteria:

(a) Failure, intolerance, or contraindication to at least 2 formulary NSAIDs; **and**
(b) One of the following:
    (1) Age greater than 65; **or**
    (2) Concomitant use of warfarin or other antiplatelet therapy; **or**
    (3) Concomitant use of chronic systemic corticosteroid therapy; **or**
    (4) Documented history of ulcer disease or GI bleed; **or**
    (5) Documented history of significant GI disease requiring therapy with an H2 antagonist or PPI; **or**
    (6) Documented history of nonselective NSAID-induced GI adverse effects; **and**
(c) For OA, therapeutic failure (≥21 day trial), intolerance of, or contraindication to at least 1 of the following: acetaminophen or opioid analgesics or topical analgesics (capsaicin, etc.)

GENERIC: CLOXACILLIN SODIUM

INDICATION:

(1) Treatment of infections due to penicillinase-producing staphylococci

Criteria:

(a) Diagnosis of staphylococcal infection; **and**
(b) Failure of dicloxacillin sodium.

Prior Authorization Guidelines

GENERIC: CYANOCOBALAMIN (HYDROXOCOBALAMIN)
BRAND: VITAMIN B-12®

INDICATION:

(1) Vitamin B-12 deficiency

Criteria:

(a) Patients who lack intrinsic factor; **or**
(b) Patients who are on long-term PPI therapy; **or**
(c) Patients with a partial or complete gastrectomy.

** For injectable medications administered by a healthcare professional, please refer to the "Specialty Medication Guidelines" in the beginning of this formulary.*

GENERIC: DABIGATRAN ETEXILATE MESYLATE
BRAND: PRADAXA®

INDICATION:

(1) Reduce the risk of stroke and systemic embolism in patients with non-vascular atrial fibrillation.

Criteria:

(a) Diagnosis of non-vascular atrial fibrillation; **and**
(b) Must have recent CrCl levels or Scr and current patient weight; **and**
(c) No active pathological bleeding; **and**
(d) Must have tried and failed or intolerant to Warfarin

NOTE: Conversion to Pradaxa:

(a) From Warfarin: discontinue warfarin and start pradaxa when INR<2.0
(b) From Parenteral Anticoagulants: start pradaxa 0-2 hrs prior to next scheduled dose of parenteral anticoagulant, or at the time of discontinuation of continuous parenteral drug (e.g. heparin)

GENERIC: DALFAMPRIDINE
BRAND: AMPYRA®

INDICATION:

(1) Improved walking speed in patients with multiple sclerosis

Criteria:

(a) Diagnosis of multiple sclerosis; **and**
(b) Prescribed by a neurologist; **and**
(c) Currently taking a disease modifying drug for multiple sclerosis (Avonex, Aubagio, Betaseron, Copaxone, Extavia, Gilenya, Rebif, Tecfidera or Tysabri)

Prior Authorization Guidelines

** Renewals will require documented improvement in walking speed (demonstrated improvement in timed 25 foot walk)*

GENERIC: DANTROLENE
BRAND: DANTRIUM®

INDICATION:

(1) Spasticity resulting from upper motor neuron disorders

Criteria:

(a) Demonstrated failure of, or intolerance to, Baclofen (Lioresal®).

GENERIC: DARBEPOETIN ALFA
BRAND: ARANESP®

INDICATIONS:

(1) Anemia with cancer chemotherapy (nonmyeloid)
(2) Anemia due to chronic renal failure

Criteria:

(a) Ensure patient's iron stores are adequate (Ferritin ≥ 100 ng/mL and/or Transferrin saturation ≥ 20%) or patient is being treated with iron; **and**
(b) Adequate blood pressure control; **and**

Chronic kidney disease patients:

(a) Initiate treatment when hemoglobin is <10g/dL; **or**

Anemia due to chemotherapy in cancer:

(a) Initiate treatment only if hemoglobin is <10g/dL; **and**
(b) Anticipated duration of myelosuppressive chemotherapy is ≥ 2 months

For renewals:

(a) **Chronic kidney disease patients:**
    (1) With dialysis Hbg <11; **or**
    (2) Without dialysis Hbg <10
(b) **Anemia due to chemotherapy in cancer patients:**
    (1) Hbg <11

GENERIC: DARIFENACIN
BRAND: ENABLEX®

INDICATION:
(1) Overactive bladder
Criteria:
(a) Failure of Oxybutynin

GENERIC: DESMOPRESSIN
BRAND: DDAVP®

INDICATIONS:
(1) Central cranial diabetes insipidus (CCDI)
(2) Primary nocturnal enuresis
Criteria:
(a) Diagnosis of CCDI; **or**
(b) For the treatment of enuresis, age 6 to 18 years; **and**
(c) Failure of behavior modification for 6 months (e.g., alarms, no beverages after 5pm, special diapers, etc.)

** Renewals for the indication of nocturnal enuresis will require the documentation of a retrial of behavior modification.*

GENERIC: DIMETHYL FUMERATE
BRAND: TECFIDERA®

INDICATION:
(1) Diagnosis of a relapsing form of Multiple Sclerosis;
Criteria:
(a) Prescribed by neurologist, and
(b) Not requesting combination of any 2 agents together: Copaxone, Betaseron, Avonex, Tysabri, Gilenya, Aubagio or Tecfidera.

GENERIC: DONEPEZIL
BRAND: ARICEPT®

INDICATION:
(1) Alzheimer's disease: for the treatment of dementia.
Criteria:
(a) Dementia must be confirmed by clinical evaluation

Prior Authorization Guidelines

GENERIC: DULAGLUTIDE
BRAND: TRULICITY®

INDICATION:

(1) Adjunct to diet and exercise to improve glycemic control in patients with type II diabetes mellitus

Criteria:

(a) Diagnosis of type II diabetes mellitus; **and**
(b) Must be under the care of a healthcare provider skilled with the use of insulin and supported by diabetes educator
(c) Must have tried at least 2 antidiabetic agents such as metformin, sulfonylureas, thiazolidinedione or insulin and not achieved adequate glycemic control despite treatment or intolerant to other antidiabetic medications

GENERIC: ELBASVIR-GRAZOPREVIR
BRAND: ZEPATIER®

INDICATION:

(1) Chronic Hepatitis C

Criteria:

(a) Preferred for genotypes 1 and 4
(b) Must follow the clinical criteria as set by the Maryland Department of Health
(c) Special Hepatitis C PA request forms, treatment plan template, preferred status information, and full criteria can be obtained at http://www.jaimedicalsystems.com/providers/pharmacy/ or by contacting ProCare at 1-800-555-8513

GENERIC: EMPAGLIFLOZIN
BRAND: JARDIANCE®

INDICATION:

(1) Type II Diabetes Mellitus

Criteria:

(a) Failure of metformin, a sulfonylurea, or pioglitazone

GENERIC: EMPAGLIFLOZIN-LINAGLIPTIN
BRAND: GLYXAMBI®

INDICATION:
(1) Type II Diabetes Mellitus

Criteria:
(a) For use when an SGLT2 and a DPP-4 Inhibitor is appropriate.

GENERIC: ENTACAPONE
BRAND: COMTAN®

INDICATION:
(1) As an adjunct to levodopa/carbidopa to treat patients with idiopathic Parkinson's disease

Criteria:
(a) Diagnosis of idiopathic Parkinson's disease; **and**
(b) Patient is receiving concomitant levodopa/carbidopa therapy.

GENERIC: EPOETIN ALFA
BRAND: EPOGEN®

INDICATIONS:
(1) Anemia with cancer chemotherapy (nonmyeloid)
(2) Anemia due to chronic renal failure
(3) Anemia of HIV infection associated with zidovudine
(4) Reduction of allogenic blood transfusion for elective, noncardiac, nonvascular surgery

Criteria:
(a) Patient's iron stores are adequate (Ferritin ≥100 mcg/mL and/or Transferrin saturation ≥20%) or patient is being treated with iron; **and**
(b) Adequate blood pressure control

Chronic kidney disease patients:
(a) Initiate treatment when hemoglobin is <10 g/dL (3 month approval)

Anemia due to chemotherapy in cancer patients:
(a) Initiate treatment only if hemoglobin <10 g/dL and anticipated duration of myelosuppressive chemotherapy is ≥2 months

Anemia due to zidovudine in HIV-infected patients:
(a) Initiate treatment when hemoglobin is <10 g/dL

Surgical procedure - Transfusion of blood product, Allogeneic; Prophylaxis:

(a) Patient's pre-operative Hgb >10 to ≤13 g/dL (14 day approval)

For renewals:

Chronic kidney disease patients:

(a) With dialysis Hbg <11

(b) Without dialysis Hbg <10

Anemia due to chemotherapy in cancer patients:

(a) Hbg <11

Anemia due to zidovudine in HIV-infected patients:

(a) Hbg <11

GENERIC: ETANERCEPT

BRAND: ENBREL®

INDICATIONS:

(1) Moderate to severely active rheumatoid arthritis

(2) Moderate to severely active polyarticular juvenile rheumatoid arthritis

(3) Psoriatic spondylitis

(4) Ankylosing spondylitis

(5) Plaque psoriasis

Criteria:

(a) The patient had a NEGATIVE tuberculin skin test, or if positive, has received treatment for latent TB prior to Enbrel therapy; **and**

(b) The patient does not have a clinically important active infection

Additional Criteria for RA:

(a) The patient has failed or is intolerant to one formulary NSAID **and**

(b) The patient has failed or is intolerant to one formulary DMARD

Additional Criteria for Plaque Psoriasis:

(a) Involvement of ≥ 10% body surface area (BSA)

GENERIC: EVOLOCUMAB

BRAND: REPATHA®

INDICATION:

(1) Primary hyperlipidemia

(2) High cholesterol in the blood

(3) Heterozygous familial hypercholesterolemia (HeFH)

(4) Reduce the risk of heart attack, stroke, and certain types of heart surgery in patients.

(5) Atherosclerotic cardiovascular disease (ASCVD)
(6) Homozygous familial hypercholesterolemia

Criteria:
(a) Documentation of positive clinical response
(b) Comprehensive counseling regarding diet
(c) Not used in combination with another type 9 (PCSK9) INHIBITOR

GENERIC: EXENATIDE
BRAND: BYETTA®

INDICATION:
(1) Adjunctive therapy of type 2 diabetes mellitus
Criteria:
(a) Diagnosis of type 2 diabetes; **and**
(b) Failure or intolerance to sulfonylureas and/or metformin at optimal dosing. Failure defined as Hemoglobin A1c $\geq$ 7.0; **and**
(c) Patient $\geq$ 18 years of age

GENERIC: EZETIMIBE
BRAND: ZETIA®

INDICATIONS:
(1) Hypercholesterolemia
(2) Sitosterolemia
Criteria:
(a) Diagnosis of Sitosterolemia; **or**
(b) For the diagnosis of hypercholesterolemia, failure of optimal dosing/duration or intolerance/contraindication to 2 formulary anti-lipid agents (with at least one agent being a statin)

GENERIC: EZETIMIBE/SIMVASTATIN
BRAND: VYTORIN®

INDICATION:
(1) Hypercholesterolemia
Criteria:
(a) Failure of optimal dosing/duration or intolerance/contraindication to 2 formulary anti-lipid agents (with at least one agent being a statin)

Prior Authorization Guidelines

GENERIC: FENOFIBRATE
BRAND: LIPOFEN®, TRIGLIDE®

INDICATION:
(1) Hypercholesterolemia, Hypertriglyceridemia
Criteria:
(a) Failure of generic fenofibrate 48, 54, 154, or 160 mg after a period of at least two months on the maximum dose appropriate and tolerated by the patient.

GENERIC: FENOFIBRIC ACID
BRAND: TRILIPIX®

INDICATION:
(1) Hypercholesterolemia, Hypertriglyceridemia
Criteria:
(a) Failure of generic fenofibrate 48, 54, 154 or 160 mg after a period of at least two months on the maximum dose appropriate and tolerated by the patient.

GENERIC: FENOFIBRATE MICRONIZED
BRAND: ANTARA®

INDICATION:
(1) Hypercholesterolemia, Hypertriglyceridemia
Criteria:
(a) Failure of generic fenofibrate 54 or 160 mg after a period of at least two months on the maximum dose appropriate and tolerated by the patient.

GENERIC: FENOFIBRIC ACID TAB
BRAND: FIBRICOR®

INIDCATIONS:
(1) Hypercholesterolemia
(2) Hypertriglyceridemia
Criteria:
(a) Failure of generic Fenofibrates

Prior Authorization Guidelines

GENERIC: FENTANYL TRANSDERMAL PATCH
BRAND: DURAGESIC®

INDICATION:
(1) Persistent, moderate to severe chronic pain OR cancer-related pain that requires continuous, around-the-clock opioid (narcotic) administration for an extended period of time

Criteria:
(a) Diagnosis of persistent, moderate to severe chronic or cancer-related pain requiring continuous, around-the-clock opioid administration for an extended period of time; **and**
(b) Patient unable to take medications by mouth; **or**
(c) Failure of or intolerance/contraindication to a long-acting oral opiate (narcotic) medication (controlled-release morphine, oxycodone, or oxymorphone)
(d) Completion of Opioid Prior Authorization/Attestation Form required, available at http://www.jaimedicalsystems.com/providers/pharmacy/

GENERIC: FESOTERODINE
BRAND: TOVIAZ®

INDICATION:
(1) Overactive bladder

Criteria:
(a) Failure of Oxybutynin

GENERIC: FILGRASTIM
BRAND: NEUPOGEN®

INDICATIONS:
(1) Prevention of neutropenia in patients receiving myelosuppressive chemotherapy for non-myeloid malignancies
(2) Patients undergoing peripheral blood progenitor cell collection and therapy
(3) Patients with severe chronic neutropenia

Criteria:
(a) The patient is undergoing peripheral blood progenitor cell collection and therapy; **or**
(b) Diagnosis of severe chronic neutropenia with an absolute neutrophil count (ANC) < 1,000; **or**

(c) ANC nadir of < 1,000 neutrophils to previous chemotherapy. Once this has been documented, approval will be given to prophylax for all future chemo cycles.

** For injectable medications administered by a healthcare professional, please refer to the "Specialty Medication Guidelines" in the beginning of this formulary.*
** Please indicate estimated duration of therapy.*

GENERIC: FLUCONAZOLE
BRAND: DIFLUCAN®

(PA required after 150mg x2 tablet dispensed)

INDICATIONS:

(1) Vaginal candidiasis
(2) Cryptococcal meningitis
(3) Serious systemic candidal infections
(4) Oropharyngeal and esophageal candidiasis

Criteria:

(a) Any of the above diagnoses; **except**
(b) For the diagnosis of oropharyngeal candidiasis, failure of nystatin therapy; **and**
(c) For the diagnosis of vaginal candidiasis, patients who are immunocompromised and/or have recurrent or refractory infections.

GENERIC: GALANTAMINE HYDROBROMIDE
BRAND: RAZADYNE®, RAZADYNE ER®

INDICATION:

(1) Alzheimer's disease: for the treatment of dementia

Criteria:

(a) Confirmation by clinical evaluation

GENERIC: GATIFLOXACIN
BRAND: ZYMAXID®

INDICATION:

(1) Bacterial conjunctivitis

Criteria:

(a) Failure of, contraindication to, or intolerance to ciprofloxacin ophthalmic formulation.

GENERIC: GLATIRAMER ACETATE
BRAND: COPAXONE®

INDICATIONS:

(1) Relapsing-remitting Multiple Sclerosis
(2) To prevent or slow the development of clinically definite Multiple Sclerosis in patients who have experienced a first clinical episode and have MRI features consistent with Multiple Sclerosis

Criteria:

(a) Prescribed by neurologist; and
(b) Not requesting combination therapy of any 2 agents together: Copaxone, Betaseron, Avonex, Tysabri, Rebif, Gilenya, Aubagio, or Tecfidera

GENERIC: GLECAPREVIR-PIBRENTASVIR
BRAND: MAVYRET®

INDICATION:

(1) Chronic Hepatitis C

Criteria:

(a) Preferred for genotypes 1, 2, 3, 4, 5 and 6
(b) Must follow the clinical criteria as set by the Maryland Department of Health
(c) Special Hepatitis C PA request forms, treatment plan template, preferred status information, and full criteria can be obtained at http://www.jaimedicalsystems.com/providers/pharmacy/ or by contacting ProCare at 1-800-555-8513

GENERIC: HYDROXOCOBALAMIN
BRAND: HYDROXOCOBALAMIN

INDICATION:
(1) Vitamin B-12 deficiency

Criteria:
(a) Patients who lack intrinsic factor; **or**
(b) Patients who are on long-term PPI therapy; **or**
(c) Patients with a partial or complete gastrectomy.

GENERIC: INTERFERON ALFA
BRAND: ROFERON-A®, INTRON-A®, and ALFERON N®

INDICATIONS:
(1) Hairy cell leukemia
(2) AIDS-related Kaposi's sarcoma
(3) Chronic Hepatitis B or C
(4) Malignant melanoma

Criteria:
(a) Any of the above diagnoses.

** For injectable medications administered by a healthcare professional, please refer to the "Specialty Medication Guidelines" in the beginning of this formulary.*

GENERIC: INTERFERON BETA
BRAND: AVONEX®, BETASERON®, REBIF®

INDICATIONS:
(1) Diagnosis of a relapsing form of Multiple Sclerosis; **or**
(2) First clinical demyelinating event with MRI evidence consistent with Multiple Sclerosis

Criteria:
(a) Prescribed by neurologist; **and**
(b) If patient has a history of or is currently being treated for severe psychiatric disorders, suicidal ideation or severe depression, this condition is well controlled; **and**
(c) Not requesting combination of any 2 agents together: Copaxone, Betaseron, Avonex, Tysabri, Rebif, Gilenya, Aubagio, or Tecfidera

** For injectable medications administered by a healthcare professional, please refer to the "Specialty Medication Guidelines" in the beginning of this formulary.*

Prior Authorization Guidelines

GENERIC: ISOSORBIDE MONONITRATE
BRAND: IMDUR®

INDICATION:
(1) Prevention of angina pectoris
Criteria:
(a) Failure of formulary nitrates.

GENERIC: ITRACONAZOLE
BRAND: SPORANOX®

INDICATIONS:
(1) Histoplasmosis infections
(2) Aspergillosis infections
(3) Blastomycosis
Criteria:
(a) Any of the above diagnoses.

GENERIC: LANSOPRAZOLE
BRAND: PREVACID SOLU-TAB®

INDICATION:
(1) Gastroesophageal reflux disease (GERD), heartburn, gastric ulcer, and duodenal ulcer.
Criteria:
(a) Unable to ingest a solid dosage form (e.g. oral tablet or capsule) due to one of the following:
    (1) Age
    (2) Oral/motor difficulties
    (3) Dysphagia
    (4) Patient utilizes a feeding tube for medication administration

GENERIC: LEDIPASVIR-SOFOSBUVIR
BRAND: HARVONI®

INDICATION:
(1) Chronic Hepatitis C
Criteria:
(a) Generic tablet only
(b) Must follow the clinical criteria as set by the Maryland Department of Health

(c) Special Hepatitis C PA request forms, treatment plan template, preferred status information, and full criteria can be obtained at http://www.jaimedicalsystems.com/providers/pharmacy/ or by contacting ProCare at 1-800-555-8513

GENERIC: LEUPROLIDE
BRAND: LUPRON®

INDICATIONS:
(1) Advanced prostate cancer
(2) Central precocious puberty
(3) Endometriosis
(4) Uterine leiomyomata (fibroids)

Criteria:
(a) Diagnosis of advanced prostate cancer, precocious puberty or fibroids; **or**
(b) For the diagnosis of endometriosis, failure of NSAIDS **and** oral contraceptives **or** endometriosis diagnosed by laparoscopy.

** Note: This agent is ordinarily administered at the physician's office. For injectable medications administered by a healthcare professional, Please refer to the "Specialty Medication Guidelines" in the beginning of this formulary.*

GENERIC: LIDOCAINE PATCH 5%
BRAND: LIDODERM PATCH 5%®

INDICATION:
(1) Relief of pain associated with post-herpetic neuralgia.

Criteria:
(a) Skin application site is intact, and
(b) For the relief of pain associated with post-herpetic neuralgia; **and**
(c) Failure, adverse reaction, or contraindication to two prescription analgesics, including formulary lidocaine topical cream or gel.

Prior Authorization Guidelines

GENERIC: LIRAGLUTIDE
BRAND: VICTOZA®

INDICATION:

(1) Adjunct to diet and exercise to improve glycemic control in patients with type II diabetes mellitus

Criteria:

(a) Diagnosis of type II diabetes mellitus; **and**
(b) Must be under the care of a healthcare provider skilled with the use of insulin and supported by a diabetes educator

(c) Must have tried at least 2 antidiabetic agents such as metformin, sulfonylureas, thiazolidinedione or insulin and not achieved adequate glycemic control despite treatment or intolerant to other antidiabetic medications; **and**
(d) Must have tried and failed or intolerant to treatment with Byetta; **and**
(e) NO personal or family history of medullary thyroid carcinoma

GENERIC: LODOXAMDE TROMETHAMINE OPHTH SOLN 0.1%
BRAND: ALOMIDE®

INDICATION:

(1) Allergic conjunctivitis

Criteria:

(a) Failure or contraindication of Ketotifen

GENERIC: LUBIPROSTONE
BRAND: AMITIZA®

INDICATION:

(1) Chronic idiopathic constipation
(2) Irritable bowel syndrome
(3) Opioid-induced constipation

Criteria:

(a) Must have a diagnosis of either chronic idopathic constipation, irritable bowel syndrome, or opioid-induced constipation; and
(b) Failure of Miralax, Senna-S, and/or lactulose

Prior Authorization Guidelines

GENERIC: MEMANTINE
BRAND: NAMENDA®

INDICATION:

(1) Alzheimer's disease: for treatment of moderate-to-severe cases of dementia

Criteria:

(a) Dementia must be confirmed by clinical evaluation; **and**
(b) Documented dementia is either moderate or severe

GENERIC: MEPHYTON
BRAND: VITAMIN K

INDICATION:

(1) Anticoagulant-induced prothrombin deficiency

Criteria:

(a) Diagnosis of anticoagulant-induced prothrombin deficiency caused by coumadin or indandione derivatives

GENERIC: METHADONE
BRAND: METHADONE

Criteria:

(a) Completion of Opioid Prior Authorization/Attestation Form required, available at http://www.jaimedicalsystems.com/providers/pharmacy/

GENERIC: METRONIDAZOLE VAGINAL GEL
BRAND: METROGEL®

INDICATION:

(1) Bacterial vaginosis

Criteria:

(a) Pregnancy; **or**
(b) Intolerance to oral metronidazole

Prior Authorization Guidelines

GENERIC: MILNACIPRAN
BRAND: SAVELLA®

INDICATION:

(1) Moderate to severe fibromyalgia

Criteria:

(a) Diagnosis of fibromyalgia; **and**
(b) Documented failure or contraindication to:
    (1) Pain relievers (e.g. Tramadol); **or**
    (2) Muscle Relaxants (e.g. cyclobenzaprine, Baclofen)

GENERIC: MIRABEGRON
BRAND: MYRBETRIQ®

INDICATION:

(1) Overactive bladder

Criteria:

(a) Failure of Oxybutynin oxycontinjanuvia

GENERIC: MORPHINE SULFATE SUSTAINED-RELEASE
BRAND: MS CONTIN®

Criteria:

(a) Completion of Opioid Prior Authorization/Attestation Form required, available at http://www.jaimedicalsystems.com/providers/pharmacy/

GENERIC: MOXIFLOXACIN
BRAND: AVELOX®

INDICATIONS:

(1) Acute bacterial sinusitis
(2) Acute bacterial exacerbations of chronic bronchitis
(3) Mild to moderate pelvic inflammatory disease
(4) Complicated/Uncomplicated skin and skin structure infections
(5) Community-acquired pneumonia
(6) Complicated intra-abdominal infections

Criteria:

In patients ≥18 years of age with any of the above listed indications when:

(a) Cultures show sensitivity to Avelox® only; **or**
(b) Patient discharged on Avelox® from the hospital and needs to complete regimen on an outpatient basis

GENERIC: NAFARELIN
BRAND: SYNAREL®

INDICATIONS:

(1) Central precocious puberty
(2) Endometriosis

Criteria:

(a) Diagnosis of central precocious puberty; **or**
(b) For the diagnosis of endometriosis in patients ≥ 18 years of age, failure of NSAIDs **and** oral contraceptives, **or** endometriosis diagnosed by laparoscopy.

GENERIC: NUTRITIONAL SUPPLEMENTS
BRAND: ENSURE®, PEDIASURE®, BOOST®, VIVONEX®

INDICATION:

(1) Nutritional supplementation

Criteria:

(a) Patient must have enteral access via one of the following: nasogastric (NG) tube, nasoduodenal (ND) tube, nasojejunal (NJ) tube, percutaneous endoscopic gastrostomy (PEG) or percutaneous endoscopic jejunostomy (PEJ).

To obtain nutritional supplements (e.g. Ensure or Pediasure) for members without enteral access, please follow the DME process. For assistance accessing the DME process, please contact Customer Service at 1-888-524-1999.

GENERIC: OCTREOTIDE
BRAND: SANDOSTATIN®

INDICATIONS:

(1) Symptomatic treatment of severe diarrhea and flushing episodes associated with metastatic carcinoid tumors
(2) Profuse, watery diarrhea associated with vasoactive intestinal peptide (VIP) secreting tumors
(3) To reduce the blood levels of growth hormone and IGF-I associated with acromegaly

Criteria:

(a) Any of the above diagnoses; **and**
(b) For the diagnosis of acromegaly, the patient has had an inadequate response to, or cannot be treated with surgical

(c) resection, pituitary irradiation **and** bromocriptine at maximally tolerated doses.

For injectable medications administered by a healthcare professional, please refer to the "Specialty Medication Guidelines" in the beginning of this formulary.

GENERIC: OLODATEROL HCL
BRAND: STRIVERDI®

INDCATION:
(1) COPD
Criteria:
(a) Patient must be on, and not currently controlled on, an ICS (inhaled corticosteroid)

GENERIC: OLOPATADINE HCL OPHTH SOLN 0.2%
BRAND: PATADAY®

INDCATION:
(1) Allergic conjunctivitis
Criteria:
(a) Failure or contraindication to Ketotifen

GENERIC: OLOPATADINE HCL OPHTH SOLN 0.1%
BRAND: PATANOL®

INDICATION:
(1) Allergic conjunctivitis
Criteria:
(a) Failure or contraindication of Ketotifen

GENERIC: ONDANSETRON SOLUTION
BRAND: ZOFRAN®

INDICATIONS:
(1) Chemotherapy induced nausea and vomiting
(2) Post-operative nausea and vomiting
(3) Radiation induced nausea and vomiting
Criteria:
(a) For patients who have a contraindication or failure of ondansetron tablets

Prior Authorization Guidelines

GENERIC: OXYCODONE, CONTROLLED-RELEASE
BRAND: OXYCONTIN®

INDICATION:

(1) Persistent, moderate to severe chronic pain **or** cancer-related pain that requires continuous, around-the-clock opioid

(narcotic) administration for an extended period of time; not intended as an as-needed analgesic.

Criteria:

(a) Persistent, moderate to severe chronic pain **or** cancer-related pain that requires around-the-clock analgesia for an extended period of time; **and**

(b) For chronic pain, failure, intolerance, or contraindication to at least 2 short-acting formulary narcotic analgesics and controlled-release morphine (MS Contin, others)For cancer pain, failure intolerance, or contraindication to controlled-release morphine (MS Contin, others)

(c) Completion of Opioid Prior Authorization/Attestation Form required, available at http://www.jaimedicalsystems.com/providers/pharmacy/

GENERIC: PALIVIZUMAB
BRAND: SYNAGIS®

INDICATION:

(1) Prevention of serious lower respiratory disease caused by respiratory syncytial virus (RSV)

Criteria:

(a) Administration within RSV season (Nov-Apr); **and**

(b) Pt < 2 yrs of age at start of RSV season with chronic lung disease that has required treatment (supplemental oxygen, bronchodilator, diuretic or corticosteroid) within prior 6 months **or**

(c) Pt born ≤ 28 weeks gestation and is ≤ 12 months at the start of the RSV season **or**

(d) Pt born between 29-32 weeks gestation and is ≤ 6 months at the start of the RSV season **or**

(e) Pt ≤ 24 months of age at the start of the RSV season with hemodynamically significant congenital heart disease, including one of the following:

(1) Receiving medication to control congestive heart failure; **or**
(2) With moderate to severe pulmonary artery hypertension; **or**
(3) With cyanotic congenital heart disease; **or**

(f) Pt born between 32-35 weeks gestation, and is ≤ 3 months at the start of the RSV season **and** has one of the following risk factors:
(1) Child care attendance; **or**
(2) Siblings less than 5 years and children born between 32-35 weeks receive a maximum of 3 doses; **or**

(g) Is the patient born before 35 weeks of gestation and has either congenital abnormalities of the airway or a neuromuscular condition that compromises handling of respiratory secretions during the first year of life?

Once the prior authorization is received, please contact your Synagis provider. One such provider is Walgreens Specialty pharmacy:
Phone = 866-230-8102
Fax = 888-325-6544

GENERIC: PEGINTERFERON ALFA-2A
BRAND: PEGASYS®

INDICATIONS:
(1) Use in combination with ribavirin or ribavirin and other Direct-Acting Antivirals for the treatment of chronic Hepatitis C
(2) Treatment of chronic Hepatitis C in patients coinfected with HIV whose HIV is clinically stable.
(3) Treatment of patients with HBeAg positive and HBeAg negative chronic Hepatitis B

Criteria:
(In combination with ribavirin or ribavirin and other Direct-Acting Antivirals)
(a) Diagnosis as indicated above including any applicable labs and/or tests
(b) Clinically documented chronic Hepatitis C with detectable HCV RNA levels > 50 IU/mL
(c) Age ≥ 3 years

(d) Liver biopsy (unless contraindicated) indicates some fibrosis and inflammatory necrosis
(e) Intolerant to Peg-Intron
(f) If HIV positive, patient is clinically stable.

(For chronic Hepatitis B)

(a) Documented HBeAg positive or negative chronic Hepatitis B
(b) Compensated liver disease

(c) Evidence of viral replication
(d) Evidence of liver inflammation
(e) Not contraindicated

GENERIC: PEGINTERFERON ALFA-2B
BRAND: PEG-INTRON®

INDICATIONS:

(1) Use in combination with ribavirin for the treatment of chronic Hepatitis C
(2) Treatment of chronic Hepatitis C in patients coinfected with HIV whose HIV is clinically stable.

Criteria:

(In combination with ribavirin or ribavirin and other Direct-Acting Antivirals)

(a) Diagnosis as indicated above including any applicable labs and/or tests
(b) Clinically documented chronic Hepatitis C with detectable HCV RNA levels > 50 IU/mL
(c) Age ≥ 3 years
(d) Liver biopsy (unless contraindicated) indicates some fibrosis and inflammatory necrosis
(e) If HIV positive, patient is clinically stable.

GENERIC: PENTOXIFYLLINE
BRAND: TRENTAL®

INDICATION:
(1) Intermittent claudication

Criteria:
(a) Pain on walking or ABI < 0.8; **or**
(b) Diabetic foot ulcer; **or**
(c) Gangrene; or
(d) Risk of, or existing, amputation.

GENERIC: PIMECROLIMUS
BRAND: ELIDEL®

INDICATION:
(1) Second-line therapy for the short-term and non-continuous chronic treatment of mild to moderate atopic dermatitis in non-immunocompromised adults and children 2 years of age and older, who have failed to respond adequately to other topical prescription treatments, or when treatments are not advisable.

Criteria:
(a) Documented failure of optimal dosing/adequate duration; **or**
(b) Intolerance or contraindication to at least one formulary topical corticosteroid; **and**
(c) Diagnosis of mild to moderate atopic dermatitis; **and**
(d) Using for short-term and non-continuous treatment.

GENERIC: RABEPRAZOLE
BRAND: ACIPHEX®

INDICATIONS:
(1) Gastric hypersecretion, pathological conditions including Zollinger-Ellison Syndrome
(2) Erosive esophagitis - gastroesophageal reflux disease
(3) Erosive esophagitis, maintenance therapy - gastroesophageal reflux disease

Criteria:
(a) Failure, intolerance, or contraindication to 2 formulary PPI after a period of at least two months on the maximum dose appropriate and tolerated by the patient.

GENERIC: RALOXIFENE
BRAND: EVISTA®

INDICATION:

(1) Treatment and prevention of osteoporosis in postmenopausal women

Criteria:

(a) Personal or family history of breast cancer; **or**
(b) Intolerable side effects to at least one formulary estrogen.

GENERIC: RIBAVIRIN

BRAND: REBETOL®

INDICATION:

(1) Indicated **only** in combination with a recombinant interferon alfa-2a or alfa-2b product or in combination with other Direct-Acting Antivirals for the treatment of chronic Hepatitis C.

Criteria:

(a) Diagnosis of chronic Hepatitis C; **and**
(b) Patient is receiving concomitant recombinant interferon alfa-2a or alfa-2b therapy or other Direct-Acting Antivirals.

GENERIC: REPAGLINIDE
BRAND: PRANDIN

INDICATION:

(1) Type 2 diabetes mellitus

Criteria:

(a) Diagnosis of Type 2 diabetes mellitus
(b) Has not achieved adequate glycemic control on at least ONE of the following:
    (1) Metformin (alone or in combination)
    (2) A Sulfonylurea (alone or in combination)
    (3) A preferred DPP-4 inhibitor
(c) Contraindication of BOTH metformin and a sulfonylurea
(d) Contraindication to a preferred DPP-4 inhibitor

GENERIC: RILUZOLE
BRAND: RILUTEK®

INDICATION:
(1) Amyotrophic lateral sclerosis (ALS)
Criteria:
(a) Diagnosis of ALS.

GENERIC: RIVASTIGMINE TARTRATE
BRAND: EXELON®

INDICATION:
(1) Alzheimer's disease: for the treatment of dementia
Criteria:
(a) Confirmation by clinical evaluation

GENERIC: RIZATRIPTAN
BRAND: MAXALT®

INDICATION:
(1) Acute treatment of migraine headache
Criteria:
(a) Failure of, intolerance to, or contraindication to one traditional formulary agent (NSAID's, ergotamine, or combination analgesic); **or**
(b) Unsuccessful concurrent or previous use of migraine prophylaxis medications (e.g., beta-blockers, calcium channel blockers, tri-cyclic antidepressants or anticonvulsants); **and**
(c) Patient is not currently using ergotamine or another 5-HT1 Receptor Agonist.

GENERIC: ROPINIROLE
BRAND: REQUIP®

INDICATIONS:
(1) For the treatment of signs and symptoms of idiopathic Parkinson's disease.
(2) Moderate to severe primary Restless Leg Syndrome.
Criteria:
(a) Diagnosis of idiopathic Parkinson's disease; **or**
(b) Diagnosis of Restless Leg Syndrome and normal iron stores (serum ferritin and/or iron-binding saturation)

Prior Authorization Guidelines

GENERIC: SALMETEROL / FLUTICASONE
BRAND: ADVAIR® / ADVAIR HFA®

INDICATION:

(1) Long-term, twice–daily maintenance treatment of asthma in patients 4 years of age and older.

Criteria:

(a) Currently on, but not controlled by an inhaled corticosteroid
(b) Twice daily maintenance treatment of airflow obstruction in patients with chronic obstructive pulmonary disease.

Criteria for the 250/50mg Strength:

(a) The 250/50mg strength is the only approved strength for COPD **and**
(b) The patient must be reevaluated after 6 months

* *For members currently with an approved prior authorization for Advair, claims will process as long as the member has filled Advair within the last 4 months. No yearly renewal will be needed for compliant members. Prior authorization will be required for members new to the plan, new to Advair therapy, or with no claim history of Advair within the last 4 months. Once approved, 90-day supplies are allowed.*

GENERIC: SALMETEROL XINAFOATE
BRAND: SEREVENT DISKUS®

INDICATIONS:

(1) Maintenance treatment of asthma and prevention of bronchospasm in adults and children 4 years of age and older
(2) Prevention of exercise-induced bronchospasm in patients 4 years of age and older
(3) Serevent Diskus® is indicated for the maintenance treatment of bronchospasm associated with chronic obstructive pulmonary disease

Criteria:

(a) Currently on but not controlled by an inhaled corticosteroid

Prior Authorization Guidelines

GENERIC: SILDENAFIL
BRAND: REVATIO®

INDICATION:

(1) Pulmonary Arterial Hypertension (PAH)

Criteria:

(a) For the treatment of PAH; **and**
(b) Current utilization of nitrates is contraindicated; **and**
(c) Age limit of 2 years and younger for the solution

GENERIC: SIMVASTATIN 80mg
BRAND: ZOCOR®

INDICATIONS:

(1) Heterozygous or homozygous familial hypercholesterolemia
(2) Familial type 3 hyperlipoproteinemia
(3) Hypertriglyceridemia
(4) Primary hypercholesterolemia, or mixed hyperlipidemia
(5) Decrease cardiovascular event risk in patients with high coronary event risk

(6) Cerebrovascular accident prophylaxis

Criteria:

(a) Age ≤ 65 years
(b) Male gender (female gender predisposed to myopathy including rhabdomyolysis)
(c) Controlled hypothyroidism
(d) Normal renal function

(e) Documentation of all cholesterol lowering agents tried and failed must be provided.

GENERIC: SITAGLIPTIN PHOSPHATE
BRAND: JANUVIA®

INDICATION:

(1) Type 2 Diabetes Mellitus

Criteria:

(a) Diagnosis of type 2 diabetes mellitus and
(b) Must be used adjunct to diet and exercise and
(c) Failure or contraindication to metformin or
(d) Failure or contraindication of sulfonylurea or thiazolidinedione

Prior Authorization Guidelines

GENERIC: SOFOSBUVIR-VELPATASVIR
BRAND: EPCLUSA®

INDICATION:

(1) Chronic Hepatitis C

Criteria:

(a) Generic tablets only
(b) Preferred for genotypes 1, 2, 3, 4, 5 and 6
(c) Must follow the clinical criteria as set by the Maryland Department of Health
(d) Special Hepatitis C PA request forms, treatment plan template, preferred status information, and full criteria can be obtained at http://www.jaimedicalsystems.com/providers/pharmacy/ or by contacting ProCare at 1-800-555-8513

GENERIC: SOFOSBUVIR-VELPATASVIR-VOXILAPREVIR
BRAND: VOSEVI®

INDICATION:

(1) Chronic Hepatitis C

Criteria:

(a) For retreatment only
(b) Must follow the clinical criteria as set by the Maryland Department of Health
(c) Special Hepatitis C PA request forms, treatment plan template, preferred status information, and full criteria can be obtained at http://www.jaimedicalsystems.com/providers/pharmacy/ or by contacting ProCare at 1-800-555-8513

GENERIC: SOLIFENACIN
BRAND: VESICARE®

INDICATION:

(1) Overactive bladder

Criteria:

(a) Failure of Oxybutynin

GENERIC: SOMATROPIN
BRAND: HUMATROPE®

INDICATIONS:

(1) Growth failure in children due to inadequate growth hormone (GH) secretion

(2) Idiopathic short stature in children defined by height standard deviation (SD) score less than or equal to -2.25 and growth rate not likely to attain normal adult height
(3) Short stature in children associated with Turner syndrome

Criteria:

(a) Patient with open epiphyses (as confirmed by radiograph of wrist and hand) who has not reached final height; **and**
(b) Medication prescribed by an endocrinologist; **and**
(c) Patient meets one of the following criteria:
    (1) Growth Hormone Deficiency (GHD) with diagnosis confirmed by one of the following:
        i. Severe short stature defined as patient's height at $\geq$ 2 SD below the population mean
        ii. Patient's height $\geq$ 1.5 SD below the midparental height (average of mother's and father's heights)
        iii. Patient's height $\geq$ 2 SD below the mean and a 1-year height velocity more than 1 SD below the mean for chronologic age or (in children 2 years of age or older) a 1-year decrease of more than 0.5 SD in height
        iv. In the absence of short stature, a 1-year height velocity more than 2 SD below the mean or a 2-year height velocity more than 1.5 SD below the mean (may occur in GHD manifesting during infancy or in organic, acquired GHD)
        v. Signs indicative of an intracranial lesion
        vi. Signs of multiple pituitary hormone deficiencies
        vii. Neonatal symptoms and signs of GHD
    (2) Idiopathic short stature with patient's height at $\geq$ 2.25 SD below the mean height for normal children of the same age and gender
    (3) Short stature associated with Turner syndrome and height below the 5th percentile of normal growth curve

∗ *To continue therapy, requests will be reviewed every six months. For injectable medications administered by a healthcare professional, please refer to the "Specialty Medication Guidelines" in the beginning of this formulary.*

Prior Authorization Guidelines

GENERIC: SUCCIMER
BRAND: CHEMET®

INDICATIONS:

(1) Treatment of lead poisoning in children with blood lead levels > 45 mcg/dl
(2) Unlabeled uses: Succimer may be beneficial in the treatment of other heavy metal poisonings

Criteria:

(a) Diagnosis of lead poisoning with blood levels > 45mcg/dl; **and**
(b) Child is hospitalized; **or**
(c) Child was started on the medication in the hospital and needs to continue upon discharge.

GENERIC: SUCRALFATE SUSPENSION
BRAND: CARAFATE®

INDICATIONS:

(1) Gastric ulcers
(2) Duodenal ulcers
(3) Gastritis
(4) GERD

Criteria:

(a) For patients who have a contraindication or failure of sucralfate tablets

GENERIC: TACROLIMUS
BRAND: PROTOPIC®

INDICATION:

(1) Moderate to severe atopic dermatitis

Criteria:

(a) Patient must be non-immunocompromised **and**
(b) Must be at least 2 years of age or older for the 0.03% strength; **or**
(c) 16 years of age or older for 0.1% strength **and**
(d) Diagnosis of atopic dermatitis
(e) Documented failure of 2 different topical corticosteroids of medium to high potency in the past 90 days
(f) Must be prescribed by a dermatologist, allergist, or for children, a pediatrician

GENERIC: TERIFLUNOMIDE
BRAND: AUBAGIO®

INDICATION:
(1) Diagnosis of a relapsing form of Multiple Sclerosis
Criteria:
(a) Prescribed by neurologist; **and**
(b) Not requesting combination of any 2 agents together: Copaxone, Betaseron, Avonex, Tysabri, Rebif, Gilenya, Aubagio, or Tecfidera.

GENERIC: TESTOSTERONE
BRAND: ANDROGEL®, TESTIM®

INDICATION:
(1) Hypogonadism
Criteria:
(a) Must be prescribed by an Endocrinologist
(b) Initial therapy: The patient has documented low testosterone concentration
(c) Renewal: The patient has documented therapeutic concentration to confirm response
Criteria for transgender members:
(a) Referral from mental health professional; **and**
(b) Persistent, well-documented gender dysphoria; **and**
(c) Capacity to make fully informed decision and to consent for treatment; **and**
(d) 18 years of age or older

GENERIC: THROMBIN
BRAND: THROMBIN

INDICATION:
(1) Hemostasis
Criteria:
(a) Diagnosis of a bleeding disorder

GENERIC: TOLTERODINE
BRAND: DETROL®/DETROL LA®

INDICATION:
(1) Overactive bladder
Criteria:
(a) Failure of oxybutynin

GENERIC: TRAMADOL ER
BRAND: ULTRAM ER®

INDICATION:
(1) Pain, chronic (moderate to severe)
Criteria:
(a) For patients who have a contraindication or failure of tramadol regular release tablets

(b) Completion of Opioid Prior Authorization/Attestation Form required, available at http://www.jaimedicalsystems.com/providers/pharmacy/

GENERIC: TROSPIUM
BRAND: SANCTURA®

INDICATION:
(1) Overactive bladder
Criteria:
(a) Failure of Oxybutynin

GENERIC: UMECLIDINIUM BROMIDE/VILANTEROL RIFENATATE
BRAND: ANORO ELLIPTA®

INDICATION:
(1) Chronic obstructive pulmonary disease (COPD): maintenance of airflow obstruction in patients with COPD, including chronic bronchitis and emphysema.
Criteria:
(a) Trial of long acting or short acting inhaled anticholinergic (Spiriva, Tudorza, Atrovent) within the last 120 days without adequate control of symptoms

Prior Authorization Guidelines

GENERIC: VALSARTAN
BRAND: DIOVAN®

INDICATION:

(2) Hypertension

Criteria:

(d) Failure or contraindication of 2 formulary ARBs (irbesartan, Losartan)

GENERIC: ZOLMITRIPTAN TABLETS
BRAND: ZOMIG®

INDICATION:

(1) Acute treatment of migraine headache

Criteria:

(a) Failure of, intolerance to, or contraindication to one traditional formulary agent (NSAID, ergotamine, or combination analgesic); **or**

(b) Unsuccessful concurrent or previous use of migraine prophylaxis medications (e.g., beta-blockers, calcium channel blockers, tri-cyclic antidepressants or anticonvulsants); **and**

(c) Patient is not currently using ergotamine or another 5-HT1 Receptor Agonist